

AS 4556 – 2000
AG 106 – 2000

(Reprinted incorporating Amendment No. 2
August 2002)

Australian Standard[™]

Indirect gas-fired ducted air heaters



Standards Australia



The Australian
Gas Association

This Standard was prepared by the Gas Appliance Standards Committee (AG/1) of The Australian Gas Association. As an accredited Standards Development Organisation, The Australian Gas Association develops and publishes Australian Standards. The Standard was approved on behalf of the Gas Technical Standards Council on 10 May 2000, and published in August 2000.

The following interests are represented on AG/1:

ABA (Australian Barbecue Association)
ACA (Australian Consumer Association)
AGA (The Australian Gas Association)
ALPGA (Australian Liquefied Petroleum Gas Association Ltd)
Appliance & Component Testing Bodies
GAEC (Gas Appliance and Equipment Committee)
GAMAA (Gas Appliance Manufacturers Association of Australia)
Gas Distributors
Gas Retailers
GTRC (Gas Technical Regulators Committee)

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new additions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications, this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 99107 CP.

© Copyright 2000 - The Australian Gas Association

Except where, and to the extent that the Copyright Act allows, no part of this publication may be reproduced, stored in a retrieval system or transmitted by any means without prior permission in writing from The Australian Gas Association

The process used in preparing this Australian Standard by The Australian Gas Association has been authorised by Standards Australia. Users of the Australian Standard should note that the copyright in this Australian Standard vests exclusively in The Australian Gas Association and that the Association is responsible for its preparation.

AS 4556 – 2000
AG 106 – 2000

(Reprinted incorporating Amendment No. 2
August 2002)

Australian Standard™

Indirect gas-fired ducted air heaters

Originated as AG 106 – November 1977
Previous Edition AG 106 – June 1998
Authorised Australian Standard AS 4556 / AG 106 – 2000
Amendment 1: May 2001
Amendment 2: August 2002

PUBLISHED BY:

The Australian Gas Association
Technical Office
2 Park Way
Braeside VIC 3195

This is a preview. [Click here to purchase the full publication.](#)

ISBN 0 85852 260 8

PREFACE

This Standard has been prepared by the Gas Appliance Standards Committee (AG/1) of The Australian Gas Association and updates AG 106 – 1998, *Approval Requirements for Indirect Gas Fired Ducted Air Heaters*.

The Standard is intended to provide uniform minimum requirements for the safe design, performance and rational use of energy of indirect gas-fired ducted air heaters.

This Standard should not be regarded as a design specification or as an instruction manual.

In its preparation, consideration has been given to:

- continuity of satisfactory operation of appliances and equipment;
- the prevention of fire hazards, and explosions;
- the prevention of injury to persons or property;
- rational use of energy;
- gas rules and regulations now in force; and
- relevant International Standards.

The contents of the Standard are subject to periodic review and suggestions for improvement are welcomed. These should be forwarded to:

Manager, Standardisation Policy and Services
The Australian Gas Association
PO Box 122 BRAESIDE VIC 3195
E-mail: standards@melbourne.gas.asn.au

The Australian Gas Association does not accept responsibility for any inadequacies in this Standard. This Standard sets out acceptable standards for type testing of the appliance itself, and does not in any way remove the responsibility from any installation, commissioning or maintenance personnel for ensuring that the appliance remains in a safe condition after installation or maintenance work has been carried out. Acceptable standards for installation are set out in AS 5601 / AG 601 - *Gas installations*.

Matters relating to quality assurance systems, production testing and certificates of conformity, including those for auxiliary devices are not dealt with in this Standard.

Matters of an advisory nature are indicated by the word 'NOTE' followed by a statement.

The Glossary of Terms contains the definitions of terms or words as they apply to this Standard.

This Standard has no legal authority in its own right, but may acquire legal standing in one or more of the following circumstances:

- adoption by a government or other authority having jurisdiction over relevant appliances;
- adoption by a purchaser as the required standard when placing a contract for relevant appliances; or
- adoption where a contractor states that an appliance is in accordance with the Standard.

CONTENTS

Page

GLOSSARY OF TERMS.....	8
SECTION 1 : SCOPE.....	20
SECTION 2 : DESIGN AND CONSTRUCTION.....	21
2.1 GENERAL	21
2.2 MATERIALS AND STANDARDS	23
2.3 ELECTRICAL SYSTEMS	24
2.4 INSTALLATION REQUIREMENTS.....	25
2.5 MAINTENANCE REQUIREMENTS.....	25
2.6 PRESSURE REGULATORS.....	27
2.7 GAS CONTROLS AND SAFETY SHUT-OFF SYSTEMS	27
2.8 COMBUSTION AIR SUPPLY AND CONTROLS	27
2.9 IGNITION, PILOTS AND MAIN BURNERS.....	28
2.10 FLUEING REQUIREMENTS.....	29
2.11 MARKINGS.....	29
2.12 INSTRUCTIONS	31
SECTION 3 : PRELIMINARY TESTS - LINE GASES	34
3.1 GENERAL REQUIREMENTS	34
3.2 PREPARATION FOR TESTING.....	35
3.3 GAS LEAKAGE.....	36
3.4 GAS CONSUMPTION	36
3.5 GAS PRESSURE REGULATORS.....	36
3.6 IGNITION AND SAFETY SHUT-OFF SYSTEMS	36
SECTION 4 : LIMIT GAS TESTS	40
SECTION 5 : PERFORMANCE TESTS	46

5.1	FLUE OPERATION	46
5.2	THERMAL EFFICIENCY	46
5.3	FLUE GAS TEMPERATURE	47
5.4	NOISE OF OPERATION	47
5.5	CONDENSATION.....	47
5.6	COMBUSTION AIR SUPPLY	47
5.7	INTERLOCK SYSTEMS	47
5.8	SHUT-DOWN.....	48
5.9	TEMPERATURE HAZARDS	48
5.10	HEAT RESISTANCE	50
5.11	DURABILITY	50
5.12	WIND TEST - OUTDOOR AND ROOM SEALED APPLIANCES (TYPE 1)	52
5.13	FAN PERFORMANCE	53
5.14	LINTING TESTS	53
5.15	RAIN TEST.....	53
5.16	STRENGTH.....	53
5.17	SPECIFICATIONS	54
5.18	ENERGY LABELLING	54
SECTION 6 : METHODS OF TEST		55
M.O.T. 2.7 AND 2.11 – 90		
	MARKINGS AND LABELS.....	55
M.O.T. 3.3.1 – 2002		
	GAS LEAKAGE.....	56
M.O.T. 3.4.1/2 – 93		
	GAS CONSUMPTION	57
M.O.T. 3.5.1 – 01		
	GAS PRESSURE REGULATOR PERFORMANCE.....	59
M.O.T. 3.6.1/3 – 92		
	IGNITION - AERATED PILOTS	61
M.O.T. 3.6.2/3 - 94		
	IGNITION OF A BURNER PROTECTED BY A FLAME SAFEGUARD SYSTEM.....	63
M.O.T. 3.6.4 – 94		
	IGNITION - OPENING OF FLAME SAFEGUARD SYSTEM	65
M.O.T. 3.6.13 – 86		
	OPERATION OF SAFETY SHUT-OFF SYSTEM.....	66
M.O.T. 3.6.15 (c)/3.6.18 (c) – 94		
	START FLAME ESTABLISHMENT PERIOD – DELAYED IGNITION TESTS.....	68
M.O.T. 3.6.17 – 01		
	AUTOMATIC BURNER IGNITION SYSTEMS FOR ATMOSPHERIC BURNERS	70
M.O.T. 4.1.2 – 93		
	DETERMINATION OF CO/CO ₂ RATIO OF COMBUSTION PRODUCTS	72
M.O.T. 4.1.3 – 93		
	DETERMINATION OF CO/CO ₂ RATIO OF COMBUSTION PRODUCTS - PERMANENT PILOTS.....	74

M.O.T. 4.1.4 – 01	
FLAME ABNORMALITY	76
M.O.T. 4.1.5 – 01	
IGNITION TESTS	78
M.O.T. 4.1.6 – 90	
FLAME STABILITY TO DRAUGHT	80
M.O.T. 4.1.9 – 01	
PILOT FLAMES – IGNITION AND STABILITY	82
M.O.T. 4.1.10 – 90	
EFFECT OF APPLIANCE DOOR OPERATION ON BURNER STABILITY	84
M.O.T. 4.1.11 – 01	
BURNER OPERATION - UNBURNT GAS SPILLAGE FROM BURNER SYSTEM	86
M.O.T. 4.1.13 – 01	
CASE PRESSURE TEST	88
M.O.T. 5.1.1 – 94	
FLUE OPERATION - SPILLAGE TEST	91
METHOD OF TEST 5.1.3 – 2002	
DETERMINATION OF CO/CO ₂ RATIO OF COMBUSTION PRODUCTS UNDER CONDITIONS OF FLUE BLOCKAGE, DOWNDRAUGHT OR UPDRAUGHT	94
METHOD OF TEST 5.1.4 – 2002	
DETERMINATION OF CO/CO ₂ RATIO OF COMBUSTION PRODUCTS UNDER CONDITIONS OF FLUE BLOCKAGE, DOWNDRAUGHT OR UPDRAUGHT	96
M.O.T. 5.2.1/2 – 99	
THERMAL EFFICIENCY - HEAT CONTENT OF FLUE GASES	104
M.O.T. 5.2.3 – 97	
FLUE TERMINAL WIND TEST	107
M.O.T. 5.3.1 - 89	
FLUE GAS TEMPERATURE TEST	109
M.O.T. 5.5.3 - 01	
BLOCKED CONDENSATE DRAIN	111
M.O.T. 5.6.1/2 – 95	
FLAME ABNORMALITY ON PROGRESSIVE AIR SUPPLY RESTRICTION	113
M.O.T. 5.9 – 01	
TEMPERATURE HAZARDS	114
M.O.T. 5.9.9 – 01	
TEMPERATURE HAZARDS - ELECTRIC MOTORS	118
M.O.T. 5.10.1 – 86	
HEAT RESISTANCE	121
M.O.T. 5.10.2 – 86	
HEAT RESISTANCE - LIGHT BACK CONDITION	123
M.O.T. 5.11.1/2 – 86	
HEAT EXCHANGERS, MAXIMUM/MINIMUM TEMPERATURE TEST	124
M.O.T. 5.11.3 – 93	
DURABILITY OF HEAT EXCHANGERS	126
M.O.T. 5.11.4 – 98	
ZINC ALLOY TEST	129

M.O.T. 5.12 – 95	
OUTDOOR DUCTED HEATERS AND TYPE 1 ROOM SEALED DUCTED HEATERS	130
M.O.T. 5.13.1 – 96	
PRESSURE/DELIVERY CHARACTERISTICS	132
M.O.T. 5.14.1/2/3 – 93	
LINTING TEST	134
M.O.T. 5.15.1/2 – 95	
RAIN RESISTANCE OF OUTDOOR DUCTED HEATERS AND FLUE TERMINALS OF ROOM SEALED DUCTED HEATERS (TYPE 1)	137
M.O.T. 5.16.1 – 87	
FLOOR LOADING TEST	139
M.O.T. 5.16.2 – 86	
STRENGTH - LOADING TEST	140
M.O.T. 5.18.1 – 95	
ENERGY LABELLING TEST	142
FIGURE 1 STANDARD TOOL KIT TO BE USED IN THE EVALUATION OF SERVICEABILITY	152
FIGURE 2 GAS APPLIANCE WARNING LABEL	153
FIGURE 3 BUBBLE LEAK DETECTOR	154
FIGURE 4 TABLES FOR VALUES OF FACTOR A AND FACTOR B	155
FIGURE 5.1 FLUE GAS SAMPLING HOOD - RECTANGULAR	156
FIGURE 5.2 FLUE GAS SAMPLING HOOD - CIRCULAR	157
FIGURE 5.3 FLUE GAS SAMPLING HOOD PROBE	158
FIGURE 6 EFFICIENCY/SPILLAGE TEST RIG	159
FIGURE 7 WIND MACHINE	160
FIGURE 8 CONNECTION DIAGRAM FOR TEMPERATURES OF ELECTRIC MOTOR WINDINGS	161
FIGURE 9 CHART FOR DETERMINING MINIMUM ALLOWABLE HEAT EXCHANGER TEMPERATURES ON DUCTED HEATERS FITTED WITH MODULATING CONTROLS	162
FIGURE 10 TEST SET-UP FOR PRESSURE/DELIVERY CHARACTERISTICS	163
FIGURE 11.1 RAIN TEST SPRAY HEAD PIPE RACK	164
FIGURE 11.2 DETAIL OF RAIN TEST SPRAY HEAD ASSEMBLY	165
FIGURE 12 ENERGY STAR RATING LABEL	166
APPENDIX A GUIDELINES FOR SERVICING INSTRUCTIONS	167
APPENDIX B MAINTENANCE SCHEDULE	168
APPENDIX C MINIMUM INSTALLATION SPECIFICATIONS AND INSTALLATION REQUIREMENTS FOR DOMESTIC GAS APPLIANCES	169
APPENDIX D WRITTEN APPLIANCE SPECIFICATIONS	172
APPENDIX E METER VOLUME CORRECTION FACTORS	175
APPENDIX F FLUE GAS SAMPLING AND TEMPERATURE MEASUREMENT	177
APPENDIX G FLUE SAMPLING METHOD FOR SMALL FLUES	184
APPENDIX H DESIGN OF DUCTS AND PLENUMS FOR DUCTED HEATERS	188
APPENDIX I TYPICAL OPERATING SEQUENCE FOR AUTOMATIC BURNERS	191
APPENDIX J INDIRECT FIRED DUCTED AIR HEATER ENERGY LABELLING	192

APPENDIX K THE AUSTRALIAN GAS ASSOCIATION INDIVIDUAL CERTIFICATION CHECK LIST	203
--	-----

APPLIANCE TEST REPORT SHEETS

GLOSSARY OF TERMS

AGA

The Australian Gas Association.

Air damper

An adjustable device for controlling air flow in forced or induced draught air systems.

ALPGA

Australian Liquefied Petroleum Gas Association Ltd.

Appliance flueway

A port or passage conveying flue gases within the appliance.

Appliance regulator

A device fitted to an appliance to control the gas pressure or gas volume delivered to that appliance.

Appliance ventilation duct

A duct through a building designed to bring combustion air from, and take products of combustion to, the outside air, for Type 2 room sealed appliances.

Approved

Acceptable to, and meeting the prescribed standards of, the authority having jurisdiction.

Atmospheric burner

A burner system where all the air for combustion is introduced by the inspirating effect of a gas injector and/or by the natural draught in the combustion chamber without mechanical assistance.

Authority

Means the authority having jurisdiction or such authority as delegated.

Automatic burner

A burner system which, on starting, follows a self-acting sequence that has been manually or automatically initiated, to provide gas and ignition to the burner without any intermediate manual operation.

Automatic ignition

The lighting of gas at a burner without a manual operation whenever gas flows from the burner.

Automatic operation

The use of a sequence of operations, which once initiated, does not require any intermediate manual operation.

Automatic shut-off valve

An automatic valve used to shut off gas supply to an appliance.