Australian/New Zealand Standard™

Household and similar electrical appliances—Safety

Part 2.40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers (IEC 60335-2-40 Ed 4.2, IDT)





AS/NZS 60335.2.40:2006

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-002, Safety of Household and Similar Electrical Appliances and Small Power Transformers. It was approved on behalf of the Council of Standards Australia on 15 March 2006 and on behalf of the Council of Standards New Zealand on 24 March 2006.

This Standard was published on 23 June 2006.

The following are represented on Committee EL-002:

Australian Industry Group
Australian Retailers Association
Australian Electrical and Electronic Manufacturers Association
Business New Zealand
Consumer Electronic Suppliers Association, Australia
Consumers' Federation of Australia
Electrical regulatory authorities, Australia
Electrical Compliance Testing Association
Electrical consultants
Electricity Supply Association of Australia
Ministry of Consumer Affairs, New Zealand
New Zealand Electric Energizer Manufacturers' Standards Group

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 05933.

Australian/New Zealand Standard™

Household and similar electrical appliances—Safety

Part 2.40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers (IEC 60335-2-40 Ed 4.2, IDT)

Originated in Australia as AS C179—1970.

Originated in New Zealand as NZS/AS 3179—1986.

Jointly revised and designated AS/NZS 3179—1993.

Revised and designated AS/NZS 3350.2.40:1997.

Second edition AS/NZS 3350.2.40:2001.

Jointly revised and redesignated AS/NZS 60335.2.40:2006.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

This is a preview. Click here to purchase the full publication.

CONTENTS

| FO | REWORD | 4 |
|-----|--|----|
| INT | RODUCTION | 6 |
| 1 | Scope | 7 |
| 2 | Normative references | 8 |
| 3 | Definitions | 9 |
| 4 | General requirement | 11 |
| 5 | General conditions for the tests | 12 |
| 6 | Classification | 12 |
| 7 | Marking and instructions | 13 |
| 8 | Protection against access to live parts | 15 |
| 9 | Starting of motor-operated appliances | 15 |
| 10 | Power input and current | 16 |
| 11 | Heating | 16 |
| 12 | Void | 21 |
| 13 | Leakage current and electric strength at operating temperature | 21 |
| 14 | Transient overvoltages | 22 |
| 15 | Moisture resistance | 22 |
| 16 | Leakage current and electric strength | 23 |
| 17 | Overload protection of transformers and associated circuits | 23 |
| 18 | Endurance | 23 |
| 19 | Abnormal operation | 23 |
| 20 | Stability and mechanical hazards | 30 |
| 21 | Mechanical strength | 30 |
| 22 | Construction | 31 |
| 23 | Internal wiring | 35 |
| 24 | Components | 35 |
| 25 | Supply connection and external flexible cords | 35 |
| 26 | Terminals for external conductors | 36 |
| 27 | Provision for earthing | 36 |
| 28 | Screws and connections | 36 |
| 29 | Clearances, creepage distances and solid insulation | 36 |
| 30 | Resistance to heat and fire | 36 |
| 31 | Resistance to rusting | 37 |
| 32 | Radiation, toxicity and similar hazards | 37 |
| Fia | ure 101a) - Arrangement for heating test of appliances with supplementary heater | |
| | pflow application | 38 |
| | ure 101b) – Arrangement for heating test of appliances with supplementary heater ownflow application | 39 |
| | ure 102 - Supply circuit for locked-rotor test of a motor of the single-phase type - | - |
| | vise as needed for three-phase test | |
| Fig | ure GG.1 – Unventilated area | 63 |

| Figure GG.2 – Mechanical ventilation | 63 |
|--|----|
| Table 3 – Temperature limits | 19 |
| Table 6 – Maximum winding temperature | 24 |
| Table 9 – Maximum abnormal temperature | 29 |
| Table GG.1 – Mass of refrigerants | 57 |
| Table GG.2 – Maximum charge (kg) (see Note 2 of GG.2) | 62 |
| Table GG.3 – Minimum room area (m ²) (see Note 2 of GG.2) | 62 |
| Annexes | 41 |
| Annex D (normative) Alternative requirements for protected motors | 41 |
| Annex I (normative) Motors having basic insulation that is inadequate for the rated voltage of the appliance | 41 |
| Annex AA (informative) Examples for operating temperatures of the appliance | 42 |
| Annex BB (normative) Selected information about refrigerants | 43 |
| Annex CC (informative) Transportation, marking and storage for units that employ flammable refrigerants | 44 |
| Annex DD (normative) Service operations | 45 |
| Annex EE (normative) Pressure Tests | 52 |
| Annex FF (normative) Leak simulation tests | 55 |
| Annex GG (normative) Charge limits, ventilation requirements and requirements for secondary circuits | 57 |
| Annex ZZ (informative) Variations to IEC 60335-2-40 for application in Australia and New Zealand | 64 |
| Bibliography | 65 |

AUSTRALIA/NEW ZEALAND STANDARD

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2.40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers

FOREWORD

This standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-002- Safety of Household and Similar Electrical Appliances and Small Power Transformers to supersede AS/NZS 3350.2.40:2001, seven years from the date of publication. During this seven year period either AS/NZS 3350.2.40:2001 or AS/NZS 60335.2.40:2006 may be used for regulatory purposes in both Australia and New Zealand.

The objective of this Standard is to provide manufacturers, designers, regulatory authorities, testing laboratories and similar organizations with safety requirements designed to give the user protection against hazards that might occur during normal operation and abnormal operation of the appliance and which may be used as the basis for approval for sale or for connection to the electricity supply mains in Australia and New Zealand

This Standard is an adoption with national modifications and contains the full text of the fourth edition of IEC 60335-2-40, Household and similar electrical appliances – Safety - Part 2-40: Particular requirements for electrical heat pumps, air-conditioners and dehumidifiers including its amendment 1 and its corrigendum 1 and amendment 2 and has been varied as indicated to take account of Australian and New Zealand conditions. It is to be used in conjunction with the latest edition of AS/NZS 60335.1, Household and similar electrical appliances – Safety - Part 1: General requirements and its Amendments. It was established on the basis of AS/NZS 60335.1:2002.

This part 2 supplements or modifies the corresponding clauses of AS/NZS 60335.1 (referred to as part 1 in this part 2) so as to convert it into the Australian/New Zealand Standard: Safety of electrical heat pumps, air-conditioners and dehumidifiers.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to AS/NZS 60335.1.

When a particular subclause of Part 1 is not mentioned in this Part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification", or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The numbering of clauses, subclauses, notes, tables, figures and annexes follows that of IEC 60335-2-40. To allow for the introduction of additional material by the IEC, the numbers 101 to 200 have been reserved. To allow for additional material to be introduced by Australia and New Zealand, the numbers 201 to 300 are used to number further clauses, subclauses, notes, tables and figures in part 1. The numbers 301 to 400 are used to number further clauses, subclauses, notes, tables and figures in this part 2. Additional annexes are lettered ZA, ZB and so on.

This scheme has been introduced to reduce the likelihood of the IEC and Australia and New Zealand using the same identifier for different purposes.

The use of the word VOID indicates that the IEC text is not used in Australia or New Zealand. The use of this word also avoids the need to renumber, clauses, notes, tables and figure if an earlier clause, note, table or figure is not used.

Where relevant the normative references and the bibliography are reformatted to indicate the Australia/New Zealand standard that is equivalent to the IEC standard or ISO standard to which reference is made.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown on the cover and title page only.
- (b) In the source text "this International Standard" should read "this Australian/New Zealand Standard".

A full point substitutes for a comma when referring to a decimal marker.

Variations to IEC 60335-2-40 are indicated at the appropriate places throughout this standard. Strikethrough (example) identifies IEC tables, figures and passages of text which, for the purposes of this Australian/New Zealand standard are deleted. Where Australian/New Zealand tables, figures or passages of text are added, each is set in its proper place and identified by shading (example). Added figures are not themselves shaded, but are identified by a shaded border.

Variations made to IEC 60335-2-40 Ed 4.2 form the Australian variations for the purposes of the IECEE scheme for recognition of testing to standards for safety of electrical equipment (the CB scheme). These variations have been incorporated in the body of the standard. They are listed in Annex ZZ for easy reference.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of AS/NZS 3000 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of AS/NZS 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

The essential safety requirements in AS/NZS 3820 that could be applicable to electrical heat pumps, air-conditioners and dehumidifiers are covered by this standard.