




**CSA  
Group**

**C22.2 No. 243-17**

# **Vacuum cleaners, blower cleaners, and household floor finishing machines**



This is a preview. [Click here to purchase the full publication.](#)

# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



This is a preview. [Click here to purchase the full publication.](#)

# ***Standards Update Service***

## ***C22.2 No. 243-17 September 2017***

**Title:** *Vacuum cleaners, blower cleaners, and household floor finishing machines*

To register for e-mail notification about any updates to this publication

- go to [shop.csa.ca](http://shop.csa.ca)
- click on **CSA Update Service**

The **List ID** that you will need to register for updates to this publication is **2425383**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.



CSA Group  
CSA C22.2 No. 243-17  
Sixth Edition



Underwriters Laboratories Inc.  
UL 1017  
Tenth Edition

## **Vacuum Cleaners, Blower Cleaners, and Household Floor Finishing Machines**

September 15, 2017



ANSI/UL 1017-2017

[This is a preview. Click here to purchase the full publication.](#)

## **Commitment for Amendments**

This standard is issued jointly by the Canadian Standards Association (operating as “CSA Group”), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to CSA Group, or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of CSA Group, and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue.

---

## **ISBN 978-1-4883-0865-9 © 2017 CSA Group**

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquires@csagroup.org](mailto:inquires@csagroup.org) and include “Proposal for change” in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group’s Online Store at [shop.csa.ca](http://shop.csa.ca) or call toll-free 1-800-463-6727 or 416-747-4044.

---

## **Copyright © 2017 Underwriters Laboratories Inc.**

UL’s Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL’s Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Tenth Edition. The most recent designation of ANSI/UL 1017 as an American National Standard (ANSI) occurred on September 15, 2017.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL’s On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL’s Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call toll-free 1-888-853-3503.

---

## CONTENTS

|                                                                      |          |
|----------------------------------------------------------------------|----------|
| <b>PREFACE</b>                                                       | <b>7</b> |
| 1 Scope                                                              | 8        |
| 2 General                                                            | 9        |
| 2.1 Attachments                                                      | 9        |
| 2.2 Fluids – Proprietary                                             | 10       |
| 2.3 Instructions provided with the appliance                         | 11       |
| 2.4 Secondary circuits                                               | 11       |
| 2.5 Equipment for recreational vehicle or marine vessel installation | 11       |
| 2.6 Units of measurement                                             | 11       |
| 2.7 Reference publications                                           | 11       |
| 3 Definitions                                                        | 20       |
| 4 Construction                                                       | 23       |
| 4.1 Components                                                       | 23       |
| 4.2 Enclosures                                                       | 25       |
| 4.3 Mechanical assembly                                              | 31       |
| 4.4 Corrosion protection                                             | 32       |
| 4.5 Supply connections                                               | 33       |
| 4.6 Current-carrying parts                                           | 41       |
| 4.7 Internal wiring and external interconnections                    | 41       |
| 4.8 Electrical insulation                                            | 45       |
| 4.9 Motors                                                           | 46       |
| 4.10 Switches, relays, and similar controls                          | 49       |
| 4.11 Controls – End product test parameters                          | 53       |
| 4.12 Capacitors                                                      | 56       |
| 4.13 Lampholders                                                     | 57       |
| 4.14 Receptacles                                                     | 58       |
| 4.15 Spacings                                                        | 60       |
| 4.16 Grounding and bonding                                           | 63       |
| 4.17 Protective devices                                              | 64       |
| 4.18 Heating elements – Vacuum with steam-cleaning attachment        | 66       |
| 4.19 Thermal links                                                   | 66       |
| 4.20 Protection against injury to persons                            | 66       |
| 5 Tests                                                              | 73       |
| 5.1 General                                                          | 73       |
| 5.2 Normal loads                                                     | 73       |
| 5.3 Leakage current                                                  | 77       |
| 5.4 Leakage current following humidity conditioning                  | 78       |
| 5.5 Leakage current – Abnormal operating conditions                  | 79       |
| 5.6 Starting current                                                 | 79       |
| 5.7 Rating                                                           | 80       |
| 5.8 Temperature                                                      | 80       |
| 5.9 Severe operating conditions                                      | 82       |
| 5.10 Abnormal operation                                              | 82       |
| 5.11 Dielectric voltage-withstand test                               | 84       |
| 5.12 Resistance to moisture                                          | 85       |
| 5.13 Stability                                                       | 97       |
| 5.14 Strain relief                                                   | 98       |
| 5.15 Switches, relays, and similar controls                          | 98       |
| 5.16 Cord reel flexing                                               | 99       |

|      |                                                                                          |     |
|------|------------------------------------------------------------------------------------------|-----|
| 5.17 | Power-supply cord flexing                                                                | 100 |
| 5.18 | Internal wiring and interconnecting cord flexing                                         | 101 |
| 5.19 | Physical abuse                                                                           | 102 |
| 5.20 | Strength of handles                                                                      | 105 |
| 5.21 | Polymeric enclosure parts                                                                | 105 |
| 5.22 | Polymeric materials used as structural support                                           | 111 |
| 5.23 | Adhesives                                                                                | 111 |
| 5.24 | Thermoplastic motor insulation systems                                                   | 112 |
| 5.25 | End-product arc resistance                                                               | 114 |
| 5.26 | Abnormal overload                                                                        | 114 |
| 5.27 | Glow-wire end-product test                                                               | 115 |
| 5.28 | Blower cleaner impeller tests                                                            | 115 |
| 5.29 | Integral insulation                                                                      | 116 |
| 5.30 | Testing of temperature control devices used in a vacuum with a steam-cleaning attachment | 117 |
| 5.31 | Mechanical valve endurance test                                                          | 118 |
| 5.32 | General purpose transformers                                                             | 118 |
| 5.33 | Interlock system endurance – Floor sweepers                                              | 119 |
| 6    | Double Insulation                                                                        | 119 |
| 6.1  | Scope                                                                                    | 119 |
| 6.2  | Definitions                                                                              | 120 |
| 6.3  | Construction – general                                                                   | 120 |
| 6.4  | Reinforced insulation                                                                    | 121 |
| 6.5  | Power supply cord                                                                        | 124 |
| 6.6  | Strain relief                                                                            | 124 |
| 6.7  | Bushings                                                                                 | 124 |
| 6.8  | Capacitors                                                                               | 124 |
| 6.9  | Extra-low voltage circuits                                                               | 124 |
| 6.10 | Spacings                                                                                 | 124 |
| 6.11 | Internal wiring                                                                          | 124 |
| 6.12 | Leakage-current test                                                                     | 125 |
| 6.13 | Dielectric voltage-withstand test                                                        | 126 |
| 6.14 | Insulation resistance                                                                    | 126 |
| 6.15 | Resistance to impact test                                                                | 127 |
| 6.16 | Abnormal operation test                                                                  | 127 |
| 6.17 | Overload test on motors                                                                  | 127 |
| 6.18 | Investigation of armature employing reinforced insulation                                | 128 |
| 6.19 | Resistance to moisture test                                                              | 129 |
| 6.20 | Manufacturing and production tests                                                       | 129 |
| 7    | Rechargeable Battery-Powered Appliances                                                  | 129 |
| 8    | Current-carrying hoses and accessory electrified wall valves                             | 131 |
| 8.1  | Scope                                                                                    | 131 |
| 8.2  | Construction – General                                                                   | 132 |
| 8.3  | Tests – General                                                                          | 133 |
| 8.4  | Dielectric voltage-withstand test                                                        | 133 |
| 8.5  | Leakage-current test                                                                     | 134 |
| 8.6  | Oven conditioning test                                                                   | 134 |
| 8.7  | Voltage drop test                                                                        | 134 |
| 8.8  | Temperature test                                                                         | 135 |
| 8.9  | Overload test                                                                            | 135 |
| 8.10 | Limited overcurrent test                                                                 | 135 |
| 8.11 | Crushing test                                                                            | 136 |
| 8.12 | Thermal shock test                                                                       | 137 |



|                                                                                            |     |
|--------------------------------------------------------------------------------------------|-----|
| 8.13 Flexing test .....                                                                    | 137 |
| 8.14 Abrasion test .....                                                                   | 138 |
| 8.15 Wet pick-up .....                                                                     | 139 |
| 8.16 Endurance test .....                                                                  | 140 |
| 8.17 Grounded hose tests .....                                                             | 140 |
| 8.18 Marking .....                                                                         | 141 |
| 8.19 Marking .....                                                                         | 141 |
| 9 Appliances Generating Ultraviolet (UV) Radiation .....                                   | 142 |
| 9.1 General .....                                                                          | 142 |
| 9.2 Construction .....                                                                     | 142 |
| 9.3 Protection against injury to persons .....                                             | 143 |
| 9.4 Performance .....                                                                      | 144 |
| 9.5 Markings .....                                                                         | 147 |
| 9.6 Instructions .....                                                                     | 148 |
| 10 Manufacturing and Production Tests .....                                                | 148 |
| 10.1 Dielectric voltage-withstand .....                                                    | 148 |
| 10.2 Grounding-continuity .....                                                            | 150 |
| 11 Marking .....                                                                           | 150 |
| 11.1 General .....                                                                         | 150 |
| 11.2 Permanence .....                                                                      | 151 |
| 11.3 Details .....                                                                         | 152 |
| 11.4 Cautionary .....                                                                      | 154 |
| 11.5 Cord tags .....                                                                       | 158 |
| 12 Instruction Manual .....                                                                | 159 |
| 12.1 General .....                                                                         | 160 |
| 12.2 Instructions pertaining to a risk of fire, electric shock, or injury to persons ..... | 160 |
| 12.3 Grounding/double insulation instructions .....                                        | 166 |
| 12.4 Polarization instructions .....                                                       | 168 |
| 12.5 Installation and operating instructions .....                                         | 168 |
| 12.6 User-maintenance instructions .....                                                   | 171 |
| 12.7 Proprietary fluid instructions .....                                                  | 171 |

## **ANNEX A (Normative)**

|                           |     |
|---------------------------|-----|
| A1 Probe Tolerances ..... | 213 |
|---------------------------|-----|

## **ANNEX B (Normative) Tab Terminals**

|                                   |     |
|-----------------------------------|-----|
| B1 General .....                  | 214 |
| B2 Material Requirements .....    | 214 |
| B3 Dimensional Requirements ..... | 214 |

## **ANNEX C (Normative)**

|                                |     |
|--------------------------------|-----|
| C1 International Symbols ..... | 220 |
|--------------------------------|-----|

## **ANNEX D (Informative) Secondary Circuits and the Level of Evaluation Required**

|                  |     |
|------------------|-----|
| D1 General ..... | 221 |
|------------------|-----|



|                                                                 |     |
|-----------------------------------------------------------------|-----|
| D2 Class 2 Circuits .....                                       | 222 |
| D3 Limited Voltage/Current Circuits .....                       | 223 |
| D4 Limited Voltage Circuit Requirements .....                   | 224 |
| D5 Limited Energy Circuits .....                                | 225 |
| D6 Limiting Impedance Circuits .....                            | 226 |
| D7 Safety Extra-Low Voltage Circuits .....                      | 228 |
| D8 Secondary Circuit Tests .....                                | 228 |
| D8.1 General .....                                              | 228 |
| D8.2 Maximum voltage .....                                      | 229 |
| D8.3 Maximum current test for inherently limited circuits ..... | 229 |
| D8.4 Maximum power (limited energy) test .....                  | 230 |
| D8.5 Limited power point determination test .....               | 230 |
| D8.6 Power dissipation test .....                               | 231 |
| D8.7 Component failure .....                                    | 231 |

## **ANNEX E (Informative)**

|                                                 |     |
|-------------------------------------------------|-----|
| E1 Test Carpet and Padding Specifications ..... | 233 |
|-------------------------------------------------|-----|

## **ANNEX F (Informative)**

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| F1 Flowchart For Polymeric Fluid Handling Components (PFHC) ..... | 234 |
|-------------------------------------------------------------------|-----|

## **ANNEX G (Informative) Methods of Applying ISO 13849-1 to Appliances**

|                                 |     |
|---------------------------------|-----|
| G1 General .....                | 236 |
| G2 Risk Assessment .....        | 236 |
| G3 Residual Risk Analysis ..... | 236 |
| G4 Performance Levels .....     | 237 |

## **ANNEX H**

### **French Language Markings**

**This ANNEX is provided for information only**

## PREFACE

This is the harmonized CSA Group, and UL standard for Vacuum Cleaners, Blower Cleaners, and Household Floor Finishing Machines. It is the sixth edition of CSA C22.2 No. 243, and the tenth edition of UL 1017. This edition of CSA C22.2 No. 243 supersedes the previous edition(s) published in 2015. This edition of UL 1017 supersedes the previous edition(s) published in 2015.

This harmonized standard was prepared by the CSA Group and Underwriters Laboratories Inc. (UL). The efforts and support of the Vacuum Cleaner industry of both the USA and Canada are gratefully acknowledged.

This standard is considered suitable for use for conformity assessment within the stated scope of the standard.

This standard was reviewed by the CSA Integrated Committee on Electrical Motor- and Battery-Operated Cleaning Appliances for Industrial and Commercial Use, under the jurisdiction of the CSA Technical Committee on Consumer and Commercial Products and the CSA Strategic Steering Committee on Requirements for Electrical Safety,, and has been formally approved by the CSA Technical Committee.

This standard has been approved by the American National Standards Institute (ANSI) as an American National Standard.

### Application of Standard

Where reference is made to a specific number of samples to be tested, the specified number is to be considered a minimum quantity.

**Note:** Although the intended primary application of this standard is stated in its scope, it is important to note that it remains the responsibility of the users of the standard to judge its suitability for their particular purpose.

### Level of Harmonization

This standard is published as an identical standard for CSA Group and UL.

An identical standard is a standard that is exactly the same in technical content except for national differences resulting from conflicts in codes and governmental regulations. Presentation is word for word except for editorial changes.

### Reasons for Differences From IEC

There is no corresponding IEC standard.

### Interpretations

The interpretation by the standards development organization of an identical or equivalent standard is based on the literal text to determine compliance with the standard in accordance with the procedural rules of the standards development organization. If more than one interpretation of the literal text has been identified, a revision is to be proposed as soon as possible to each of the standards development organizations to more accurately reflect the intent.