 8910	
AnyCo Ltd, PO Box 21, B-1050, Brussels, Belgium	
13	
00001-EU-BauPVO-2013/05/12	
EN 123-5:2009	
Produkt A	
Verwendungszweck in (z. B. Vorhangfassaden, Raumaufteilung in Brand- und/oder Rauchabschnitte usw.)	
wesentliches Merkmal 1: 50 N/cm ² wesentliches Merkmal 2: bestanden wesentliches Merkmal 3: Klasse A1 wesentliches Merkmal 4: RE 60 wesentliches Merkmal n: xxx Dauerhaftigkeit des wesentlichen Merkmals 1: wie in der Leistungserklärung angegeben Dauerhaftigkeit des wesentlichen Merkmals n: wie in der Leistungserklärung angegeben Gefährlicher Stoff X: weniger als 0,2 ppm	

CE-Kennzeichnung, bestehend aus dem
„CE“-Symbol

Kennnummer der Produktzertifizierungsstelle

Name und registrierte Anschrift des Herstellers
oder Kennzeichen

Die letzten beiden Ziffern des Jahres, in dem
die Kennzeichnung zuerst angebracht wurde

Referenznummer der Leistungserklärung


Nr. der angewendeten Europäischen Norm, wie
im Amtsblatt der EU angegeben
(siehe Anmerkung 14)

Eindeutiger Kenncode des Produkttyps

Verwendungszweck des Produkts, wie in der
Europäischen Norm angegeben

Stufe oder Klasse der angegebenen Leistung
[siehe Anmerkung 15]

Bild ZA.4 — Example CE marking information of products under AVCP system 3 [to be specified as decided in ZA.3] [see Clause 1.1.2.1.3].


AnyCo Ltd, PO Box 21, B-1050, Brussels, Belgium
13
00001-EU-BauPVO-2013/05/12
EN 123-5:2009
Produkt A Verwendungszweck in (z. B. Vorhangfassaden, Raumaufteilung in Brand- und/oder Rauchabschnitte usw.)
wesentliches Merkmal 1: 50 N/cm ² wesentliches Merkmal 2: bestanden wesentliches Merkmal 3: Klasse A1 wesentliches Merkmal 4: RE 60 wesentliches Merkmal n: xxx Dauerhaftigkeit des wesentlichen Merkmals 1: wie in der Leistungserklärung angegeben Dauerhaftigkeit des wesentlichen Merkmals n: wie in der Leistungserklärung angegeben Gefährlicher Stoff X: weniger als 0,2 ppm

CE-Kennzeichnung, bestehend aus dem
„CE“-Symbol

Name und registrierte Anschrift des Herstellers
oder Kennzeichen

Die letzten beiden Ziffern des Jahres, in dem
die Kennzeichnung zuerst angebracht wurde

Referenznummer der Leistungserklärung

Nr. der angewendeten Europäischen Norm, wie
im Amtsblatt der EU angegeben
(siehe Anmerkung 14)

Eindeutiger Kenncode des Produkttyps

Verwendungszweck des Produkts, wie in der
Europäischen Norm angegeben

Stufe oder Klasse der angegebenen Leistung
[siehe Anmerkung 15]

Bild ZA.5 — Example CE marking information of products under AVCP system 4 [to be specified as decided in ZA.3] [see Clause 1.1.2.1.3].

Literaturhinweise

- [1] CEN/TS 15122, *Sportböden — Bestimmung des Widerstandes von Kunststoffbelägen für Sportböden gegen wiederholte Stöße*
- [2] EN ISO 9001:2008, *Qualitätsmanagementsysteme — Anforderungen (ISO 9001:2008)*
- [3] EN 14342:2013, *Holzfußböden und Parkett — Eigenschaften, Bewertung der Konformität und Kennzeichnung*
- [4] EN 13329:2006+A1:2008, *Laminatböden — Elemente mit einer Deckschicht auf Basis aminoplastischer, wärmehärtbarer Harze — Spezifikationen, Anforderungen und Prüfverfahren*
- [5] EN 14877:2013, *Kunststoffflächen auf Sportanlagen im Freien — Anforderungen*
- [6] EN 15330-1:2013, *Sportböden — Überwiegend für den Außenbereich hergestellte Kunststoffrasenflächen und Nadelfilze — Teil 1: Festlegungen für Kunststoffrasenflächen für Fußball, Hockey, Rugbytraining, Tennis und multifunktionale Kunststoffrasenflächen*
- [7] EN 15330-2:2008, *Sportböden — Überwiegend für den Außenbereich hergestellte Kunststoffrasenflächen und Nadelfilze — Teil 2: Festlegungen für Nadelfilze*
- [8] prEN 16837, *Sportböden — Bestimmung der linearen Reibung zwischen Schuh und Boden*
- [9] prEN 14903, *Sportböden — Bestimmung der Drehreibung*

— *Entwurf* —

August 2015

ICS 97.220.10

Will supersede EN 14904:2006

English Version

Surfaces for sports areas - Indoor surfaces for multi-sports use - Specification

Sols sportifs - Sols multi-sports intérieurs - Spécification

Sportböden - Mehrzweck-Sporthallenböden -
Anforderungen

This draft European Standard is submitted to CEN members for second enquiry. It has been drawn up by the Technical Committee CEN/TC 217.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword.....	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	8
4 Installation and maintenance instructions.....	8
5 Essential characteristics.....	9
5.1 General.....	9
5.2 Reaction to fire.....	9
5.2.1 Specimen preparation and conditioning.....	9
5.2.2 Application rules.....	9
5.2.3 Classification.....	9
5.2.4 Product parameters influencing reaction to fire performance	10
5.3 Emission of formaldehyde.....	10
5.4 Emission of pentachlorophenol.....	11
5.5 Release of other dangerous substances	11
5.6 Linear friction.....	11
5.7 Shock absorption.....	11
6 Durability	11
6.1 Resistance to rolling load	11
6.1.1 Resistance to wear	12
7 Additional characteristics	12
7.1 General.....	12
7.2 Vertical ball behaviour	12
7.3 Vertical deformation	12
7.4 Specular reflectance.....	12
7.5 Specular gloss	12
7.6 Resistance to indentation	12
7.7 Resistance to impact.....	13
8 Positioning of test apparatus on laboratory sample.....	13
9 Requirements for site testing.....	14
9.1 General.....	14
9.2 Requirements	14
9.2.1 Linear friction.....	14
9.2.2 Shock absorption.....	14
9.2.3 Vertical ball behaviour	14
9.2.4 Vertical deformation	14
9.2.5 Degree of evenness of the installed floor covering	15
9.3 Positioning of test apparatus on site.....	15
10 Test reports	15
10.1 General.....	15
10.2 Laboratory test report	15
10.3 <i>In situ</i> test report.....	15
11 Assessment and verification of constancy of performance - AVCP	16
11.1 General.....	16

11.2	Type testing	16
11.2.1	General	16
11.2.2	Test samples, testing and compliance criteria	17
11.2.3	Test reports	18
11.2.4	Shared other party results	18
11.2.5	Cascading determination of the product type results	19
11.3	Factory production control (FPC)	20
11.3.1	General	20
11.3.2	Requirements	20
11.3.3	Product specific requirements	23
11.3.4	Initial inspection of factory and of FPC (only applicable to products covered by AVCP system 1)	23
11.3.5	Continuous surveillance of FPC (only applicable to products covered by AVCP system 1)	24
11.3.6	Procedure for modifications	24
11.3.7	One-off products, pre-production products (e.g. prototypes) and products produced in very low quantity	24
12	Marking and labelling	25
Annex A	(normative) Determination of emission of pentachlorophenol in sport floor systems	26
A.1	Principle of test	26
A.2	Apparatus and materials	26
A.3	Sampling and specimen preparation	26
A.4	Sample extraction and analysis	26
A.5	Expression of results	26
Annex B	(normative) Factory production control	27
B.1	General	27
B.2	Control of raw material	27
B.3	Process control	27
B.4	Calibration plan	27
B.5	Testing of finished products	27
B.5.1	Direct testing	27
B.5.2	Indirect testing	28
B.6	Inspection and testing status of products	28
B.7	Traceability	28
Annex C	(informative) Test Method to define the sport floor type	29
C.1	Test Method for typical sport floor type	29
C.2	Positioning of test apparatus on sample (Area deflection W_x)	30
C.2.1	Principle	30
C.2.2	Apparatus	30
C.2.3	Procedure	30
Annex D	(informative) Typical Shock absorption and vertical deformation values	31
Annex E	(informative) Rotational slip resistance	32
Annex F	(informative) Measuring points on sample	33
F.1	General	33

F.2	Area-elastic sports floor with elastic construction	33
F.2.1	Key	33
F.2.2	Positioning of the system measuring spots	33
F.3	Area-elastic sports floor with elastic construction	35
F.3.1	key	35
F.3.2	Positioning of the system measuring spots	35
F.4	Area-elastic sports floor with elastic construction	37
F.4.1	Key	37
F.4.2	Positioning of the system measuring spots	37
F.5	Area-elastic sports floor with elastic construction	39
F.5.1	Key	39
F.5.2	Positioning of the system measuring spots	39
F.6	Area-elastic sports floor with elastic construction	40
F.6.1	Key	40
F.6.2	Positioning of the system measuring spots	41
F.7	Area-elastic sports floor with elastic layer	42
F.7.1	Key	42
F.7.2	Positioning of the system measuring spots	42
Annex ZA	(informative) Relationship between this European Standard and the Essential Requirements of EU Directive 89/106/EEC Construction Products Regulation (CPR).....	44
ZA.1	Scope and relevant characteristics	44
ZA.2	Procedure for AVCP of sports floors	45
ZA.2.1	Systems of AVCP	45
ZA.2.2	Declaration of performance (DoP)	47
ZA.3	CE marking and labelling	51
Bibliography		58

Foreword

This document (prEN 14904:2015) has been prepared by Technical Committee CEN/TC 217 “Surfaces for sports areas”, the secretariat of which is held by AFNOR.

This document is currently submitted to the second CEN Enquiry.

This document will supersede EN 14904:2006.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

The following significant technical changes have been implemented in this new edition:

- New terminology of the CPR;
- *EoC* is changed in *Assessment and verification of constancy of performance – AVCP*;
- *DOP* (New clause);
- *ITT* is changed in *Product Type determination*.

Introduction

This European Standard is the first revision of EN 14904 which was first published in 2006. This standard provides performance criteria, as mandated by CEN, for the Essential Characteristics which need to be considered for a sports floor system that is to be used for one or more than one sport and appropriate test methods by which these Essential Characteristics should be measured.

This European Standard also details performance criteria for Additional Characteristics of multi-sports floors which the experts who formulated this standard believe are important and so should be considered. Again, appropriate test methods to establish these Additional Characteristics are provided.

When setting the various performance criteria detailed within the standard, the needs of Volleyball, Basketball, Badminton, Small sided Football, Handball and Physical Education were prioritized. Whilst the performance criteria are applicable when one or more sports are played on a sports floor system, it was also felt that if a facility was to be used for just one of the aforementioned sports then this standard would also be applicable. However, EN 14904 may not be appropriate for single sport centres designed for specialist sports such as Tennis or Cricket as some of the performance criteria (such as shock absorption and angle ball rebound) are not appropriate nor are some of the test methods.

It should also be noted that the performance criteria and test methods within EN 14904 are not appropriate for Synthetic Turf or Textile surfaces when used indoors. Appropriate standards for these types of products are currently being developed.