

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Household refrigerating appliances – Characteristics and test methods –
Part 3: Energy consumption and volume**

**Appareils de réfrigération à usage ménager – Caractéristiques et méthodes
d'essai –
Partie 3: Consommation d'énergie et volume**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2020 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and definitions clause of IEC publications issued between 2002 and 2015. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et définitions des publications IEC parues entre 2002 et 2015. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.



IEC 60000

Edition 1.1 2020-11
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Household refrigerating appliances – Characteristics and test methods –
Part 3: Energy consumption and volume**

**Appareils de réfrigération à usage ménager – Caractéristiques et méthodes
d'essai –
Partie 3: Consommation d'énergie et volume**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 97.030

ISBN 978-2-8322-9139-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

® Registered trademark of
Marque déposée de la C

[This is a preview. Click here to purchase the full publication.](#)

REDLINE VERSION

VERSION REDLINE



**Household refrigerating appliances – Characteristics and test methods –
Part 3: Energy consumption and volume**

**Appareils de réfrigération à usage ménager – Caractéristiques et méthodes
d'essai –
Partie 3: Consommation d'énergie et volume**

CONTENTS

FOREWORD.....	8
INTRODUCTION.....	11
1 Scope.....	12
2 Normative references	12
3 Terms, definitions and symbols.....	12
3.1 Terms and definitions.....	12
3.2 Symbols.....	13
4 Applicable test steps for determination of energy and volume.....	13
4.1 Setup for energy testing.....	13
4.2 Steady state power consumption.....	13
4.3 Defrost and recovery energy and temperature change	13
4.4 Defrost frequency	13
4.5 Number of test points and interpolation	13
4.6 Load processing efficiency.....	14
4.7 Specified auxiliaries.....	14
4.8 Volume determination	14
5 Target temperatures for energy determination	14
5.1 General.....	14
5.2 Temperature control settings for energy consumption test	15
6 Determination of energy consumption.....	15
6.1 General.....	15
6.2 Objective	16
6.3 Number of test runs	17
6.4 Steady state power consumption.....	17
6.5 Defrost and recovery energy and temperature change	17
6.6 Defrost interval	18
6.7 Specified auxiliaries.....	18
6.8 Calculation of energy consumption	18
6.8.1 General	18
6.8.2 Daily energy consumption.....	18
6.8.3 Interpolation	19
6.8.4 Specified auxiliaries.....	19
6.8.5 Total energy consumption.....	20
7 Circumvention devices.....	20
8 Uncertainty of measurement.....	21
9 Test report.....	21
Annex A (normative) Set up for energy testing	22
A.1 General.....	22
A.2 Additional set up requirements for energy testing.....	22
A.2.1 Ice making trays	22
A.2.2 User adjustable controls	22
A.2.3 Ambient temperature	22
A.2.4 Accessories and shelves	22
A.2.5 Anti-condensation heaters	23
A.2.6 Automatic icemakers – ice storage bins	23

Annex B (normative) Determination of steady state power and temperature	26
B.1 General.....	26
B.2 Setup for testing and data collection	26
B.3 Case SS1: no defrost control cycle or where stability is established for a period between defrosts	26
B.3.1 Case SS1 approach.....	26
B.3.2 Case SS1 acceptance criteria.....	29
B.3.3 Case SS1 calculation of values.....	30
B.4 Case SS2: steady state determined between defrosts	30
B.4.1 Case SS2 approach.....	30
B.4.2 Case SS2 acceptance criteria.....	32
B.4.3 Case SS2 calculation of values.....	33
B.5 Correction of steady state power.....	34
Annex C (normative) Defrost and recovery energy and temperature change	36
C.1 General.....	36
C.2 Setup for testing and data collection	36
C.3 Case DF1: where steady state operation can normally be established before and after defrosts.....	37
C.3.1 Case DF1 approach.....	37
C.3.2 Case DF1 acceptance criteria.....	39
C.3.3 Case DF1 calculation of values.....	40
C.4 Number of valid defrost and recovery periods	42
C.5 Calculation of representative defrost energy and temperature.....	42
Annex D (normative) Defrost interval	44
D.1 General.....	44
D.2 Elapsed time defrost controllers.....	44
D.3 Compressor run time defrost controllers.....	45
D.4 Variable defrost controllers	49
D.4.1 General	49
D.4.2 Variable defrost controllers – declared defrost intervals.....	49
D.4.3 Variable defrost controllers – no declared defrost intervals (demand defrost).....	50
D.4.4 Variable defrost controllers – non compliant	50
Annex E (normative) Interpolation of results.....	52
E.1 General.....	52
E.2 Temperature adjustment prior to interpolation	53
E.3 Case 1: linear interpolation – two test points	53
E.3.1 General	53
E.3.2 Requirements	53
E.3.3 Calculations.....	53
E.4 Case 2: triangulation – three (or more) test points.....	57
E.4.1 General	57
E.4.2 Requirements for two (or more) compartment triangulation	58
E.4.3 Calculations for two compartment triangulation – manual interpolation	61
E.4.4 Calculations for two compartment triangulation – matrices.....	62
E.4.5 Checking temperature validity where there are more than two compartments for triangulation.....	64
E.4.6 Calculations for three compartment triangulation – matrices	65
Annex F (normative) Energy consumption of specified auxiliaries	69

F.1	Purpose	69
F.2	Ambient controlled anti-condensation heaters	69
F.2.1	Outline of the method	69
F.2.2	Measurement procedure	69
F.2.3	Data requirements	70
F.2.4	Regional weather data	70
F.2.5	Calculation of power consumption	70
F.2.6	Where anti-condensation heater(s) cannot be disabled but their power consumption can be measured directly	71
F.2.7	Where anti-condensation heater(s) cannot be disabled and their power consumption cannot be measured directly	72
F.2.8	Where anti-condensation heater(s) has a user-adjustable setting	72
F.3	Automatic icemakers – energy to make ice	72
F.3.1	General	72
F.3.2	Tank type automatic icemakers	72
Annex G (normative)	Determination of load processing efficiency	79
G.1	Purpose	79
G.2	General description	79
G.3	Setup, equipment and preparation	80
G.3.1	General	80
G.3.2	Equipment	81
G.3.3	Quantity of water to be processed	81
G.3.4	Position of the water load in compartments	82
G.3.5	Temperature of the water to be processed	85
G.4	Load processing efficiency test method	86
G.4.1	Commencement of the load processing efficiency test	86
G.4.2	Placement of the load	86
G.4.3	Measurements to be taken	87
G.4.4	Conclusion of load processing efficiency test	87
G.5	Determination of load processing efficiency	88
G.5.1	General	88
G.5.2	Quantification of input energy	89
G.5.3	Quantification of additional energy used to process the load	90
G.5.4	Load processing efficiency	92
G.5.5	Load processing multiplier	92
G.5.6	Addition of user related loads into daily energy	94
Annex H (normative)	Determination of volume	96
H.1	Scope	96
H.2	Total volume	96
H.2.1	Volume measurements	96
H.2.2	Determination of volume	96
H.2.3	Volume of evaporator space	97
H.2.4	Two-star sections and/or compartments	97
H.3	Key for Figures H.1 through H.5	97
H.4	Calculation of the volume of the section or sub-compartment in the compartment whose target temperatures are different from each other	100
Annex I (informative)	Worked examples of energy consumption calculations	103
I.1	Example calculation of daily energy consumption	103
I.2	Variable defrost – calculation of defrost intervals	104

I.3	Examples of Interpolation.....	105
I.3.1	General	105
I.3.2	Linear interpolation.....	105
I.3.3	Two compartments – manual triangulation.....	114
I.3.4	Two compartments – triangulation using matrices.....	118
I.3.5	Three compartments – triangulation using matrices	120
I.4	Calculating the energy impact of internal temperature changes.....	122
I.4.1	General	122
I.4.2	One compartment	122
I.4.3	Triangulation	123
I.5	Automatically controlled anti-condensation heater(s)	124
I.6	Calculation of load processing efficiency.....	126
I.7	Determination of annual energy consumption.....	128
I.8	Examples of determination of power and temperature from raw data.....	129
I.8.1	Manual review of data.....	129
I.8.2	Review of data and selection of minimum spread using bespoke software	149
Annex J (informative) Development of the IEC global test method for refrigerating appliances		151
J.1	Purpose	151
J.2	Overview.....	151
J.3	Test method objective	151
J.4	Description of key components of energy consumption	152
Annex K (normative) Analysis of a refrigerating appliance without steady state between defrosts		154
K.1	Purpose	154
K.2	Products with regular characteristics but without steady state operation	154
K.2.1	General	154
K.2.2	Special case DF2 approach	154
K.2.3	Case DF2 acceptance criteria.....	155
K.2.4	Case DF2 calculation of values.....	155
Annex L (informative) Derivation of ambient temperature correction formula		157
L.1	Purpose	157
L.2	Background.....	157
L.3	Approach	158
Figure B.1 – Illustration of a test period made of blocks of 5 temperature control cycles – temperatures for Case SS1		27
Figure B.2 – Illustration of a test period made of blocks of 5 temperature control cycles – power for Case SS1		28
Figure B.3 – Case SS2 – typical operation of a refrigerating appliance with a defrost control cycle		31
Figure C.1 – Conceptual illustration of the additional energy associated with a defrost and recovery period		37
Figure C.2 – Case DF1 with steady state operation before and after a defrost		38
Figure E.1 – Interpolation where temperatures change in multiple compartments (compartment D critical).....		56
Figure E.2 – Interpolation with valid results in both Compartment A and B		56
Figure E.3 – Interpolation with no valid results		57

Figure E.4 – Schematic representation of interpolation by triangulation	59
Figure G.1 – Conceptual illustration of the load processing efficiency test	80
Figure G.2 – Shelf locations and loading sequence (example showing 10 PET bottles)	83
Figure G.3 – Ice cube tray locations and clearances	85
Figure G.4 – Representation of the additional energy to process the added load	89
Figure G.5 – Case where a defrost and recovery period occurs during load processing	91
Figure H.1 – Basic view of top mounted freezer appliance	98
Figure H.2 – Automatic ice-maker dispenser and chute	99
Figure H.3 – Automatic ice-making compartment	99
Figure H.4 – Rail of drawer type shelves or baskets	100
Figure H.5 – Rotary divider of fresh food compartment for French Doors	100
Figure H.6 – Part with partition in the freezer is a two-star compartment (or a chill compartment next to a fresh food compartment)	101
Figure H.7 – Part without partition next to the freezer or fresh food compartment is a two-star compartment or a chill compartment, respectively	101
Figure H.8 – Freezer door shelves are a two-star section	101
Figure H.9 – Drawer in the freezer is a two-star section (or a chill sub-compartment in a fresh food compartment)	102
Figure H.10 – Space between a door shelf and drawer-type two-star section	102
Figure I.1 – Example linear interpolation two compartments (Compartment B critical)	107
Figure I.2 – Example linear interpolation two compartments (Compartment B critical)	108
Figure I.3 – Example Interpolation where both test points have both compartments below target (two valid results)	109
Figure I.4 – Example Interpolation where both test points have both compartments below target (two valid results)	110
Figure I.5 – Example Interpolation where neither test point has both compartments below target (no valid results)	111
Figure I.6 – Example Interpolation where neither test point has both compartments below target (no valid results)	112
Figure I.7 – Example Interpolation for 4 compartments	114
Figure I.8 – Example of triangulation (temperatures)	116
Figure I.9 – Example of triangulation (temperature and energy)	117
Figure I.10 – An example of power and temperature data	130
Figure I.11 – Example of finding a test period with minimum spread in power	150
Figure K.1 – Special Case SS2 – where steady state operation is never reached between defrost and recovery periods and Annex C stability may not be established	154
Table 1 – Target temperatures for energy determination by compartment type	15
Table B.1 – Assumed ΔCOP adjustment	35
Table F.1 – Format for temperature and humidity data – ambient controlled anti-condensation heaters	71
Table I.1 – Example of linear interpolation, single compartment	105
Table I.2 – Example 1 of linear interpolation, two compartments	106
Table I.3 – Example 2 of linear interpolation, two compartments	108
Table I.4 – Example 3 of linear interpolation, two compartments	110
Table I.5 – Example of linear interpolation, test data for four compartments	112