Annexe P

(informative)

Lignes directrices pour l'application de la présente norme aux appareils utilisés en climat tropical

13 Courant de fuite et rigidité diélectrique à la température de régime

13.2 *Modification:*

À la place du courant de fuite admissible pour les **appareils fixes de la classe l**, ce qui suit s'applique:

-	pour les appareils raccordés par câble et fiche	0,5 mA ou 0,5 mA par kW de puissance assignée à l'appareil, avec un maximum de 5 mA.
-	pour les autres appareils	0,5 mA ou 0,5 mA par kW de puissance assignée à l'appareil sans limite maximale.

A la place du courant de fuite admissible, pour les **appareils mobiles de la classe l**, ce qui suit s'applique:

 pour les appareils raccordés par câble et 0,5 mA ou 0,5 mA par kW de puissance fiche
 assignée à l'appareil, avec un maximum de 5 mA, en prenant la valeur la plus élevée.

16 Courant de fuite et rigidité diélectrique

16.2 *Modification:*

À la place du courant de fuite admissible pour les **appareils fixes de la classe l**, ce qui suit s'applique:

-	pour les appareils raccordés par câble et fiche	0,5 mA ou 0,5 mA par kW de puissance assignée à l'appareil, avec un maximum de 5 mA.
-	pour les autres appareils	0,5 mA ou 0,5 mA par kW de puissance assignée à l'appareil sans limite maximale.

A la place du courant de fuite admissible, pour les **appareils mobiles de la classe l**, ce qui suit s'applique:

 pour les appareils raccordés par câble et 0,5 mA ou 0,5 mA par kW de puissance fiche
 assignée à l'appareil, avec un maximum de 5 mA, en prenant la valeur la plus élevée.

Bibliographie

La bibliographie de la Partie 1 est applicable avec l'exception suivante.

Addition:

IEC 60335-2-50, Appareils électrodomestiques et analogues – Sécurité – Partie 2-50: Règles particulières pour les bains-marie électriques à usage collectif





Edition 4.2 2017-07

FINAL VERSION

VERSION FINALE



Household and similar electrical appliances – Safety – Part 2-49: Particular requirements for commercial electric appliances for keeping food and crockery warm

Appareils électrodomestiques et analogues – Sécurité – Partie 2-49: Règles particulières pour les appareils électriques à usage collectif destinés à maintenir au chaud les aliments et la vaisselle



- 2 - IEC 60335-2-49:2002+AMD1:2008 +AMD2:2017 CSV © IEC 2017

CONTENTS

FO	REWORD	4		
INTRODUCTION				
1	Scope	8		
2	Normative references	8		
3	Terms and definitions	9		
4	General requirement	11		
5	General conditions for the tests	11		
6	Classification	11		
7	Marking and instructions	11		
8	Protection against access to live parts	14		
9	Starting of motor-operated appliances	14		
10	Power input and current	15		
11	Heating	15		
12	Void	17		
13	Leakage current and electric strength at operating temperature	17		
14	Transient overvoltages	18		
15	Moisture resistance	18		
16	Leakage current and electric strength	19		
17	Overload protection of transformers and associated circuits	20		
18	Endurance	20		
19	Abnormal operation	20		
20	Stability and mechanical hazards	21		
21	Mechanical strength	22		
22	Construction	23		
23	Internal wiring	24		
24	Components	24		
25	Supply connection and external flexible cords	24		
26	Terminals for external conductors	25		
27	Provision for earthing	25		
28	Screws and connections	25		
29	Clearances, creepage distances and solid insulation	26		
30	Resistance to heat and fire	26		
31	Resistance to rusting	26		
32	Radiation, toxicity and similar hazards	27		
Anr	nexes	30		
Anr	Annex N (normative) Proof tracking test			
Annex P (informative) Guidance for the application of this standard to appliances				
use Dir	Bibliography			
מום	nography	JZ		

Figure	101 –	Splash	apparatus		. 27
--------	-------	--------	-----------	--	------

IEC 60335-2-49:2002+AMD1:2008	- 3 -	
+AMD2:2017 CSV © IEC 2017		
Figure 102 – Identification of surfaces for te	emperature measurement2	8
Figure 103 – Probe for measuring surface to	emperatures2	9

Table	101 – Maximum temperature rises for specified external accessible surfaces	
under	normal operating conditions1	7
Table	102 – Assembling torques for screwed connections providing earthing continuity2	6

- 4 -

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-49: Particular requirements for commercial electric appliances for keeping food and crockery warm

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committee; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC 60335-2-49 bears the edition number 4.2. It consists of the fourth edition (2002-11) [documents 61E/404/FDIS and 61E/416/RVD], its amendment 1 (2008-04) [documents 61E/617/FDIS and 61E/620/RVD] and its amendment 2 (2017-07) [documents 61/5363/FDIS and 61/5391/RVD]. The technical content is identical to the base edition and its amendments.

IEC 60335-2-49:2002+AMD1:2008 +AMD2:2017 CSV © IEC 2017

This Final version does not show where the technical content is modified by amendments 1 and 2. A separate Redline version with all changes highlighted is available in this publication.

This part of International Standard IEC 60335 has been prepared by IEC subcommittee 61E: Safety of electrical commercial catering equipment, of IEC technical committee 61: Safety of household and similar electrical appliances.

This fourth edition constitutes a technical revision.

The French version of this standard has not been voted upon.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for commercial electric hot cupboards.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition of Part 1 concerns an adjective, the adjective and the associated noun are also in bold .

The following differences exist in the countries indicated below.

- 6.1: Class 01 appliances are allowed (Japan).
- 6.2: For appliances intended to be installed in a kitchen, an appropriate degree of protection against harmful
 ingress of water is required according to their height of installation (France).
- 13.2: Leakage current limits are different (Japan).
- Clause 21: For appliances intended to be installed in a kitchen, different values of impact energy are applicable according to the height of the impact point (France).

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-49: Particular requirements for commercial electric appliances for keeping food and crockery warm

1 Scope

This clause of Part 1 is replaced by the following:

This International Standard deals with the safety of electrically operated commercial appliances for keeping food and crockery warm not intended for household and similar use, their **rated voltage** being not more than 250 V for single-phase appliances connected between one phase and neutral, and 480 V for other appliances.

Examples of appliances that are within the scope of this standard are:

- hot cupboards, with or without heated tops;
- heated tops;
- heated display cases;
- heated crockery dispensers;
- heated tables;
- radiant heaters.

NOTE 101 These appliances are used for processing food and/or rethermalising it, for example in kitchens of restaurants, canteens, hospitals and in commercial enterprises such as bakeries, butcheries, etc.

The electrical part of appliances making use of other forms of energy is also within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by these types of appliances.

NOTE 102 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements may be necessary;
- in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities;
- for appliances intended to be used outdoors, additional requirements may be necessary.

NOTE 103 This standard does not apply to

- appliances designed exclusively for industrial purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);
- appliances for continuous mass production of food;
- bains-marie (IEC 60335-2-50).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition: