# INTERNATIONAL STANDARD

ISO 8124-1

Fifth edition 2018-03

## Safety of toys —

Part 1:

# Safety aspects related to mechanical and physical properties

Sécurité des jouets —

Partie 1: Aspects de sécurité relatifs aux propriétés mécaniques et physiques



ISO 8124-1:2018(E)



#### COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

CU	mæme	•	P	age
For	eword			vii
Intr	oduction	<b>1</b>		viii
1	Scope	<u>.</u>		1
2	-		erences	
3	Term	s and def	finitions	3
4				
<b>T</b>	4.1		use	
	4.2		ably foreseeable abuse	
	4.3		1	
			Material quality	
			Expanding materials	
	4.4		arts	
		4.4.1	For children under 36 months	
		4.4.2	For children 36 months and over but under 72 months	
	4.5	Shape, s	size and strength of certain toys	
		4.5.1	Squeeze toys, rattles, fasteners, and certain other toys and components of toys	
		4.5.2	Small balls	
		4.5.3	Pompoms	
		4.5.4	Pre-school play figures	
		4.5.5	Toy pacifiers	
		4.5.6	Balloons	
		4.5.7	Marbles	
	4.6	4.5.8	Hemispheric-shaped toys	
	4.6		A 11 1 C1	
		4.6.1	Accessible sharp edges of glass or metal	
		4.6.2	Functional sharp edges	
		4.6.3	Edges on metal toys	
		4.6.4 4.6.5	Edges on moulded toys	
	4.7		Euges on exposed boits of threaded rous	
	7.7	4.7.1	Accessible sharp points	
		4.7.2	Functional sharp points	
		4.7.3	Wooden toys	
	4.8		ons	
	1.0	4.8.1	General requirements	
		4.8.2	Special considerations for bath toy projections	
	4.9	Metal w	rires and rods	
	4.10		ilm or plastic bags in packaging and in toys	
	4.11			
			General	
			Cords in toys intended for children under 18 months	
		4.11.3	Cords in toys intended for children 18 months and over but under 36 months.	
		4.11.4	Fixed loops and nooses intended for children under 36 months	
			Cords on pull toys	
			Electrical cables	
		4.11.7	Diameter of certain cords intended for children under 36 months	
			Self-retracting cords intended for children under 36 months	30
		4.11.9	Toys attached to or intended to be strung across, or otherwise attached	0.0
		4 4 4 4 4 4	to, a cradle, cot, perambulator or carriage	
			Conds on toy bags	
	4 4 9		Cords, strings and lines for flying toys	
	4.12		mechanisms	
		4.12.1	Toy pushchairs, perambulators and similar toys	O I

### ISO 8124-1:2018(E)

	4.12.2 Other toys with folding mechanisms			
	4.12.3 Hinge-line clearance			
4.13	Holes, clearances and accessibility of mechanisms			
	4.13.1 Circular holes in rigid materials			
	4.13.2 Accessible clearances for movable segments			
	4.13.3 Chains or belts in ride-on toys			
	4.13.4 Other driving mechanisms			
4.4.4	4.13.5 Winding keys			
4.14	Springs			
4.15	Stability and overload requirements			
	4.15.1 Stability of ride-on toys and seats.			
	4.15.2 Overload requirements for ride-on toys and seats			
4.16	4.15.3 Stability of stationary floor toys Enclosures			
4.10				
	4.16.1 Ventilation 4.16.2 Closures			
	4.16.3 Toys that enclose the head			
4.17	Simulated protective equipment, such as helmets, hats and goggles			
4.17	Projectile toys			
4.10	4.18.1 General			
	4.18.2 Projectiles			
	4.18.3 Projectile toys with stored energy			
	4.18.4 Projectile toys without stored energy			
4.19	Rotors and propellers			
4.20	Aquatic toys			
4.21	Braking			
4.22	Toy bicycles			
1.22	4.22.1 Instructions for use			
	4.22.2 Determination of maximum saddle height			
	4.22.3 Braking requirements			
4.23	Speed limitation of electrically driven ride-on toys			
4.24	Toys containing a heat source			
4.25	Liquid-filled toys			
4.26	Mouth-actuated toys			
4.27	Toy roller skates, toy inline skates and toy skateboards			
4.28	Percussion caps specifically designed for use in toys			
4.29	Acoustic requirements			
4.30	Toy scooters			
1.00	4.30.1 General			
	4.30.2 Warnings and instructions for use			
	4.30.3 Strength			
	4.30.4 Stability			
	4.30.5 Adjustable and folding steering tubes and handlebars			
	4.30.6 Braking			
	4.30.7 Wheel size			
	4.30.8 Projections			
4.31	Magnets and magnetic components			
	4.31.1 Magnetic/electrical experimental sets intended for children 8 years and over			
	4.31.2 All other toys with magnets and magnetic components			
4.32	Yo-yo balls			
4.33	Straps intended to be worn fully or partially around the neck			
4.34	Sledges and toboggans with cords for pulling	.52		
4.35	Jaw entrapment in handles and steering wheels			
	nethods			
5.1	General Small novte toot			
5.2	Small parts test			
5.3 5.4	Test for shape and size of certain toys			
5.4	Small balls test	. ວຽ		

5

5.5	Test for pompoms				
5.6		pre-school play figures			
5.7		bility of a part or component			
	5.7.1	Principle	56		
	5.7.2	Apparatus			
	5.7.3	Procedure			
5.8	Sharp-e	edge test			
	5.8.1	Principle			
	5.8.2	Apparatus			
	5.8.3	Procedure			
5.9	Sharp-p	point test	60		
	5.9.1	Principle			
	5.9.2	Apparatus			
	5.9.3	Procedure			
5.10	Determ	ination of thickness of plastic film and sheeting	61		
	5.10.1	General			
	5.10.2	Apparatus			
	5.10.3	Procedure	61		
5.11	Test for	·cords	62		
	5.11.1	Cord cross-sectional dimension			
	5.11.2	Length of cords and electrical cables	62		
	5.11.3	Breakaway feature separation test			
	5.11.4	Test for fixed loops and nooses			
	5.11.5	Self-retracting cords	67		
	5.11.6	Electrical resistance of cords	68		
5.12	Stabilit	y and overload tests	68		
	5.12.1	General	68		
	5.12.2	Sideways stability test, feet available for stabilization	68		
	5.12.3	Sideways stability test, feet unavailable for stabilization			
	5.12.4	Fore and aft stability test			
	5.12.5	Overload test for ride-on toys and seats	69		
	5.12.6	Stability test of stationary floor toys	69		
5.13	Test for	· closures and toy chest lids			
	5.13.1	Closures	70		
	5.13.2	Toy chest lids	70		
5.14	Impact	test for toys that cover the face	70		
5.15	Kinetic	energy and wall impact test	70		
	5.15.1	Kinetic energy of projectiles	71		
	5.15.2	Wall impact test for projectiles	73		
5.16		heeling facility and brake performance test			
		Determination of free-wheeling facility	74		
	5.16.2	Brake performance for mechanically or electrically powered ride-on toys			
		other than toy bicycles			
	5.16.3	Brake performance for toy bicycles			
5.17		ination of speed of electrically driven ride-on toys			
5.18		ination of temperature increases			
5.19		e of liquid-filled toys			
5.20		ity of mouth-actuated toys			
5.21		ling materials			
5.22		or sliding mechanisms			
		Loads			
		Toy pushchairs and perambulators			
		Other toys with folding mechanisms			
5.23		ole toys			
5.24		ably foreseeable abuse tests			
		General			
		Drop test			
	5.24.3	Tip-over test for large and bulky toys	79		

### ISO 8124-1:2018(E)

Bibliography					
	previo	ormative) Significant technical changes between this document and the			
	-	ormative) Bath toy projection design guidelines	147		
Annex E (informative) Rationale					
Annex	C (info	ormative) Design guidelines for toys attached to cribs or playpens	119		
Annex	B (info	ormative) Safety-labelling guidelines and manufacturer's markings	111		
		ormative) <b>Age-grading guidelines</b>			
		5.38.2 Measurement of initial length, $l_0$			
		5.38.1 Measurement of elastic constant, <i>k</i>			
	5.38	Yo-yo ball measurements			
	5.37	Length of suction cup projectiles			
	5.36	Tip assessment of rigid projectiles			
	5.35	Determination of projectile range	101		
	5.34	Soaking test for magnets			
	5.33	Impact test for magnets			
		5.32.5 Calculation of magnetic flux index			
		5.32.3 Apparatus 5.32.4 Procedure			
		5.32.2 Principle			
		5.32.1 General			
	5.32	Magnetic flux index			
		5.31.4 Toys that contain one magnet only and no mating metal component			
		5.31.3 Toys that contain one magnet only and a mating metal component	99		
		5.31.2 Toys with magnets or magnetic components	98		
		5.31.1 Principle			
	5.31	Tension test for magnets			
	5.30	Resistance to separation of handlebar			
		5.29.1 Resistance to downward forces			
	5.29	Strength of toy scooter steering tubes			
	<b>5.00</b>	5.28.2 Toy scooters with foot brake			
		5.28.1 Toy scooters with handbrake			
	5.28	Brake performance for toy scooters			
		5.27.3 Procedure			
		5.27.2 Load			
	0.27	5.27.1 Principle			
	5.27	Dynamic strength for toy scooters			
	5.26	Static strength for toy scooters			
		5.25.2 Specific test methods			
	5.25	Determination of sound pressure levels			
	F 2F	5.24.8 Flexure test			
		5.24.7 Compression test			
		5.24.6 Tension test			
		5.24.5 Torque test			
		5.24.4 Dynamic strength test for wheeled ride-on toys other than toy scooters			

#### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 181, Safety of toys.

This fifth edition cancels and replaces the fourth edition (ISO 8124-1:2014). A list of the main technical changes made to the previous edition is given in Annex G.

A list of all parts in the ISO 8124 series can be found on the ISO website.

#### Introduction

This document is largely based upon existing standards in the European Union (EN 71-1) and in the United States of America (ASTM F963).

Compliance with the requirements of this document will minimize potential hazards associated with toys resulting from their use in their intended play modes (normal use) as well as unintended play modes (reasonably foreseeable abuse).

This document will not, nor is it intended to, eliminate parental responsibility in the appropriate selection of toys. In addition, this document will not eliminate the need for parental supervision in situations where children of various ages may have access to the same toy(s).

Although Annexes A, B, C, D, E and F are for information purposes only, they are crucial for the correct interpretation of this document.

The safety of electric toys is described in IEC 62115.

When age indications are required for safety labelling purposes, they may be given in either months or years.

## Safety of toys —

#### Part 1:

# Safety aspects related to mechanical and physical properties

#### 1 Scope

The requirements in this document apply to all toys, i.e. any product or material designed or clearly intended for use in play by children under 14 years of age. They are applicable to a toy as it is initially received by the consumer and, in addition, they apply after a toy is subjected to reasonably foreseeable conditions of normal use and abuse unless specifically noted otherwise.

The requirements of this document specify acceptable criteria for structural characteristics of toys, such as shape, size, contour, spacing (e.g. rattles, small parts, sharp points and edges, and hinge-line clearances) as well as acceptable criteria for properties peculiar to certain categories of toy (e.g. maximum kinetic energy values for non-resilient-tipped projectiles and minimum tip angles for certain ride-on toys).

This document specifies requirements and test methods for toys intended for use by children in various age groups from birth to 14 years. The requirements vary according to the age group for which a particular toy is intended. The requirements for a particular age group reflect the nature of the hazards and the expected mental and/or physical abilities of a child to cope with them.

This document also requires that appropriate warnings and/or instructions for use be given on certain toys or their packaging. Due to linguistic problems which may occur in different countries, the wording of these warnings and instructions is not specified but given as general information in <u>Annex B</u>. It should be noted that different legal requirements exist in many countries with regard to such marking.

This document does not purport to cover or include every conceivable potential hazard of a particular toy or toy category. Except for labelling requirements indicating the functional hazards and the age range for which the toy is intended, this document has no requirements for those characteristics of toys which represent an inherent and recognized hazard which is integral to the function of the toy.

EXAMPLE 1 An example of such a hazard is the sharp point necessary for the proper function of a needle. The needle is a hazard which is well understood by the purchaser of a toy sewing kit, and the functional sharp-point hazard is communicated to the user as part of the normal educational process of learning to sew as well as at the point of purchase by means of cautionary labelling on the product's packaging.

EXAMPLE 2 As a further example, a two-wheeled toy scooter has inherent and recognized hazards associated with its use (e.g. instability during use, especially while learning). The potential hazards associated with its structural characteristics (sharp edges, pinch hazards, etc.) will be minimized by compliance with the requirements of this document.

Products not included within the scope of this document are:

- a) bicycles, except for those considered to be toys, i.e. those having a maximum saddle height of 435 mm (see E.1, general);
- b) slingshots;

NOTE "Slingshots" are also known as "catapults" and are usually held in the hand; examples are given in Figure 1. Toy versions of medieval catapults and trebuchets are not exempt from this document; an example is given in Figure 2.



Figure 1 — Examples of slingshots (not within the scope of this document)



Figure 2 — Medieval toy catapult (within the scope of this document)

- c) darts with metal points;
- d) home and public playground equipment;
- e) compressed air- and gas-operated guns and pistols (see E.1);
- f) kites (except for the electric resistance of their strings, which is included);
- g) model kits, hobby and craft items, in which the finished item is not primarily of play value;
- h) sporting goods and equipment, camping goods, athletic equipment, musical instruments and furniture; however, toys which are their counterparts are included.
  - It is recognized that there is often a fine distinction between, for example a musical instrument or a sporting item and its toy counterpart. The intention of the manufacturer or distributor, as well as normal use and reasonably foreseeable abuse, determines whether the item is a toy counterpart or not;
- i) models of aircraft, rockets, boats and land vehicles powered by combustion engines; however, toys which are their counterparts are included (see E.1);
- j) collectible products not intended for children under 14 years of age;
- k) holiday decorations that are primarily intended for ornamental purposes;
- l) aquatic equipment intended to be used in deep water, swimming-learning devices and flotation aids for children such as swim-seats and swim-aids;
- m) toys installed in public places (e.g. arcades and shopping centres);
- n) puzzles having more than 500 pieces or without a picture, for specialists;
- o) fireworks including percussion caps, except percussion caps specifically designed for toys;