TECHNICAL SPECIFICATION

ISO/TS 21364-22

First edition 2021-05

Domestic gas cooking appliances — Safety —

Part 22:

Particular requirements for ovens and compartment grills

Appareils de cuisson domestiques utilisant les combustibles gazeux — Sécurité —

Partie 22: Exigences particulières pour les fours et compartiments de grillage





COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

CO	ntent		Page	
Fore	eword		vi	
Intr	oductio	n	vii	
1	Scope	е	1	
2	-	native references		
3	Terms and definitions			
3	3.1	Definitions relating to appliances		
	3.2	Definitions relating to components		
4	Comr	oonents in gas cooking appliances		
	4.1	General		
	4.2	Manual gas shut-off valves (Taps)	2	
	4.3	Knobs		
	4.4 4.5	Multifunctional controls	3 2	
	4.6	Thermostats		
	4.7	Pressure regulators		
	4.8	Automatic shut-off valves		
	4.9	Injectors and adjusters		
	4.10 4.11	Ignition systems Thermal cut-outs		
	4.11	Cooling fan		
	4.13	Forced convection fan		
5	Gene	ral conditions of test	3	
3	5.1	Reference conditions		
	5.2	Reference and test gases		
	5.3	Test pressures		
	5.4	Temperature conditions		
	5.5 5.6	Adjustment of the burner Test installation		
	5.7	Characteristics of the test pans		
	5.8	Ovens or compartment grills operated in the forced convection mode		
	5.9	Portable ovens and compartment grills	4	
6	Heat	input	4	
	6.1	General		
	6.2	Obtaining the nominal heat input.		
		6.2.1 Test of oven and compartment grill with a thermostat.6.2.2 Test of oven and compartment grill without a thermostat.	4 5	
	6.3	Measurements and calculations	5 5	
	6.4	Obtaining the reduced heat input		
		6.4.1 Requirement		
		6.4.2 Test		
	6.5	6.4.3 Test of oven and compartment grill burner		
_				
7	Heating			
	7.1	General Operating conditions		
	7.3	Heating tests		
		7.3.1 Requirement	6	
		7.3.2 Test under normal operation		
		 7.3.3 Simultaneous operation of oven burner and compartment gas grill burner 7.3.4 Temperatures of accidentally touchable surfaces 		
	7.4	Abnormal operation		
		7.4.1	40	

ISO/TS 21364-22:2021(E)

		7.4.2 Blocking of the cooling fan				
		7.4.3 Failure of the thermostat				
_						
8		Combustion				
	8.1 8.2	Measurement of all burners simultaneously Blocked combustion products outlet				
	8.3	Analysis of the combustion products				
	8.4	Ovens and compartment grills				
	0.1	8.4.1 General				
		8.4.2 Combustion with reference gas				
		8.4.3 Combustion with limit gas				
		8.4.4 Simultaneous operation of oven and a compartment grill burner				
		8.4.5 Combustion with fluctuation of the electrical supply				
	0.5	8.4.6 Combustion under abnormal operation				
	8.5	Forced convection ovens or compartment grills				
		8.5.1 General 8.5.2 Abnormal forced convection mode of forced convection ovens or	1 /			
		compartment grills	17			
0	Y 14.1					
9	1gniti 9.1	on, cross-lighting and flame stability General	17 17			
	9.1	Movement of oven/grill door or cabinet door				
	9.3	Oven and compartment grill burner				
	7.0	9.3.1 General				
		9.3.2 Cold conditions				
		9.3.3 Hot conditions				
	9.4	Forced convection ovens or compartment grills				
		9.4.1 General				
	٥٢	9.4.2 Abnormal operation of forced convection ovens or compartment grills				
	9.5	Simultaneous operation of the oven burner and a compartment grill burner				
	9.6	9.5.2 Cold conditions				
		9.5.3 Hot conditions				
		9.5.4 Movement of oven door or cabinet door during simultaneous operation				
		Ignition test of pyrolytic-self-cleaning oven and compartment grills	22			
		9.6.1 Requirement				
		9.6.2 Test	22			
10	Accumulation of unburnt gas and leak tightness					
	10.1	Accumulation of unburnt gas	22			
	10.2	Leakage				
	10.3	Leak tightness of the appliance				
	10.4	Spillage of un-burnt gas inside the appliance				
		10.4.1 Requirement 10.4.2 Test				
		10.4.2 Test				
4.4						
11	11.1	ruction General				
	11.1	Materials				
	11.2	Gas inlet connections				
	11.4	Conversion to different gases				
	11.5	Pull forces of knobs for manual gas shut-off valves (taps)				
	11.6	Appliances that enable the user to program the start or the end of the cooking cycle	23			
	11.7	Compartment for one gas cylinder				
	11.8	Touch controls				
	11.9	Door lock at high temperature				
		11.9.1 Requirement	ረ4 2 / _.			

	11.10	Appliances having pyrolytic-self-cleaning ovens and compartment grills	
		11.10.1 Door locking means for pyrolytic-self-cleaning oven and compartment grills	24
		11.10.2 Temperature limiting means for pyrolytic-self-cleaning ovens and	
		compartment grills	
		11.10.3 Vapour combustion or flash-out during the pyrolytic-self-cleaning cycle	
		11.10.4 Flue gas temperatures of pyrolytic-self-cleaning ovens and compartment grills	
	11.11	Ignition with an external lighter	26
12	Mecha	anical strength	26
	12.1	Parts made of glass and glass-ceramic	
		12.1.1 General	
		12.1.2 Spring hammer test	26
		12.1.3 Punch test	
		12.1.4 Appliance door	
	12.2	Appliance body of freestanding appliances	
		12.2.1 Requirement	
		12.2.2 Test	
	12.3	Oven door strength	
		12.3.1 Requirement	
		12.3.2 Test	
	12.4	Tilting of freestanding ovens and compartment grills	
		12.4.1 Tilting	
	40.5	12.4.2 Tilting under special conditions	
	12.5	Strength and stability of oven and grill accessories	29
		12.5.1 Requirement	
	12.6	12.5.2 Test	
	12.6	Portable ovens and compartment grills 12.6.1 General	29
		12.6.2 Tilting of portable ovens and compartment grills	
13	Electr	ical safety	30
14	Marki	ng and instructions	30
	14.1	Marking	
		14.1.1 Marking on the appliance	
	14.2	Instructions	
A	A Ginfo	numetive) National deviations in various sountries	21