
Laminate flooring — Topical moisture resistance — Assembled joint

Sol stratifié — Résistance à l'humidité superficielle – joint assemblé



Reference number
ISO 4760:2022(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Materials needed	2
4.1 Planks	2
4.2 Plastic ring	2
4.3 Beaker	2
4.4 Distilled or de-ionized water	2
4.5 Dye colour	2
4.6 Sealant	2
4.7 Measuring device	2
5 Conditioning	3
6 Procedure	3
6.1 Assembling the test specimen	3
6.1.1 Inspection	3
6.1.2 Cutting	3
6.1.3 Cleaning	4
6.1.4 Assembly	4
6.1.5 Gaps	4
6.1.6 Test positions	5
6.1.7 Sealant	6
6.1.8 Ring placement	6
6.1.9 Weights	7
6.1.10 Zeroing gauge	8
6.1.11 Initial height measurement	8
6.1.12 Water	9
6.1.13 Wet swell exposure	10
6.2 Qualitative rating for wet swell	10
6.3 Quantitative rating for wet swell	10
6.4 Qualitative rating for recovery swell	10
6.5 Quantitative rating for recovery swell	10
7 Rating	10
7.1 Qualitative rating	10
7.2 Quantitative wet swell	12
7.3 Qualitative rating and quantitative recovery swell	12
8 Calculations	12
8.1 Surface swell calculation	12
8.1.1 General	12
8.1.2 Wet swell sample average	12
8.1.3 Wet swell final average	12
8.1.4 Qualitative wet swell rating final average	12
8.2 Recovery swell measurements	13
8.2.1 General	13
8.2.2 Recovery swell calculation	13
8.2.3 Recovery swell sample average	13
8.2.4 Recovery swell final average	13
8.2.5 Qualitative recovery swell rating final average	13
9 Statistics – Precision and bias – Interlaboratory studies	13