

INTERNATIONAL  
STANDARD

ISO  
**11609**

Third edition  
2017-06

---

---

---

**Dentistry — Dentifrices —  
Requirements, test methods and  
marking**

*Médecine bucco-dentaire — Dentifrices — Exigences, méthodes  
d'essai et marquage*



Reference number  
ISO 11609:2017(E)

This is a preview. Click here to purchase the full publication.

© ISO 2017



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
[copyright@iso.org](mailto:copyright@iso.org)  
[www.iso.org](http://www.iso.org)

# Contents

	Page
<b>Foreword</b>	<b>iv</b>
<b>Introduction</b>	<b>v</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>1</b>
<b>4 Requirements relative to the physical and chemical properties of dentifrices</b>	<b>2</b>
4.1 Total fluoride	2
4.1.1 Total fluoride concentration	2
4.1.2 Total fluoride in a single-unit container	2
4.2 Heavy metals	2
4.3 pH	2
4.4 Microbiology	2
4.5 Abrasivity	2
4.6 Stability	3
4.7 Readily fermentable carbohydrates	3
<b>5 Test methods</b>	<b>3</b>
5.1 Determination of pH	3
5.2 Determination of dentine abrasivity	3
5.3 Determination of enamel abrasivity	3
5.4 Determination of stability	3
<b>6 Marking and labelling</b>	<b>3</b>
<b>7 Packaging</b>	<b>4</b>
<b>Annex A (informative) Abrasivity test procedure — American Dental Association (ADA) method</b>	<b>5</b>
<b>Annex B (informative) Determination of relative dentifrice abrasivity to enamel and dentine by a surface profile method</b>	<b>12</b>
<b>Annex C (informative) A testing of total fluoride in dentifrices</b>	<b>18</b>
<b>Bibliography</b>	<b>21</b>