

Translated and Published by Japanese Standards Association

JIS S 2006:2019

(All Japan Vacuum Bottle Association/JSA)

Vacuum bottles

ICS 97.040.50

 $Reference\ number:\ JIS\ S\ 2006:2019\ (E)$ 

S 2006: 2019

Date of Establishment: 1953-11-07

Date of Revision: 2019-10-21

Date of Public Notice in Official Gazette: 2019-10-21

Investigated by: Japanese Industrial Standards Committee

Standards Board for ISO area

Technical Committee on Consumer Life Products

JIS S 2006:2019, First English edition published in 2020-07

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2020

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

AH/AT

## **Contents**

|              | Page   |
|--------------|--|
| 1            | Scope1   |
| 2            | Normative references   |
| 3            | Terms and definitions  |
| 4            | Classification ······ 4  |
| 5            | Names of principal parts5  |
| 6<br>6.1     | Performance in use   |
| 6.2          | Quality performance  |
| 7            | Construction ————————————————————————————————————                                    |
| 7.1          | General constructional requirements  |
| 7.2          | Type-specific requirements   |
| 8            | Appearance15   |
| 9            | Materials15  |
| 10           | Test methods   |
| 10.1<br>10.2 | Rounding of numbers  |
| 10.3         | Odour of stopper and taste of hot water contained17                                  |
| 10.4         | Heat and cold insulation performance17   |
| 10.5         | Impact resistance ————————————————————————————————————                               |
| 10.6         | Adhesion of print coating21  |
| 10.7         | Plating on steel substrate21   |
| 10.8         | Plating on plastic21   |
| 10.9         | Hot water resistance of packing and other rubber parts21                             |
|              | Capacity ————————————————————————————————————  |
| 10.11        | Overturn angle   |
| 10.12        | Fixing rigidity of handle or carrying handle22                                       |
| 10.13        | Outflow due to overturn  |
| 10.14        | Unintended discharge — 23  |
| 10.15        | Durability of pouring mechanism23  |
| 10.16        | Hot water and cold water leakage24   |
| 10.17        | Engagement of inner stopper25  |
| 10.18        | Rigidity of shoulder strap25   |
| 10.19        | Colour fastness of pouch (or other similar container) and shoulder strap $\cdots 25$ |
| 11           | Inspections ————————————————————————————————————                                     |
| 11.1         | Type inspection  |

## S 2006:2019

| 11.2 | Product inspection ····· | 26    |
|------|--------------------------|-------|
| 11.3 | Test record ·····        | 26    |
|      | 2000100014               |       |
| 12   | Marking                  | 27    |
| 10   |                          | 0.5   |
| 13   | Instructions for use     | ·· 27 |