
UDC 686.8:667.5



JAPANESE INDUSTRIAL STANDARD

Leads for pencils, coloured pencils and mechanical pencils

(JIS S 6005-1996

Translated and Published

by

Japanese Standards Association

JIS S*6005 96 ■ 4933608 0535577 %07 ■

In the event of any doubt arising, the original Standard in Japanese is to be final authority

Errata for JIS (English edition) are printed in *Standardization Journal*, published monthly by the Japanese Standards Association.

Errata will be provided upon request, please contact: Business Department,
Japanese Standards Association
4-1-24, Akasaka, Minato-ku,
Tokyo, JAPAN 107
TEL. 03-3583-8002
FAX. 03-3583-0462

Errata are also provided to subscribers of JIS (English edition) in Monthly Information.

This is a preview. Click here to purchase the full publication.

UDC 686.8:667.5

JAPANESE INDUSTRIAL STANDARD

JIS



Leads for pencils, coloured pencils and mechanical pencils

S 6005-1996

- 1. <u>Scope</u> This Japanese Industrial Standard specifies leads used for pencils and coloured pencils specified in JIS S 6006 (hereafter referred to as "leads for pencils and coloured pencils"); and leads and coloured leads used for mechanical pencils specified in JIS S 6013 (hereafter referred to as "leads for mechanical pencils" and as "coloured leads for mechanical pencils" respectively).
 - Remarks 1. The standards cited in this Standard are shown in Attached Table 1.
 - 2. The following are the International Standards corresponding to this Standard:

ISO/DIS 8124-3.2 Safety of toys - Part 3: Migration of certain

elements

ISO 9177-2:1989 Mechanical pencils - Part 2:Black leads -

Classification and dimensions

ISO 9177-3:1994 Mechanical pencils - Part 3:Black leads -

Bending strengths of HB leads

ISO 9180:1988 Black leads for wood-cased pencils -

Classification and diameters

2. <u>Classification</u> Classification of leads shall be as given in Table I and Table 2.

Table 1. Classification of leads for pencils and coloured pencils

Classification	Density symbol	Hardness	Remarks
Leads for pencil	9H, 8H, 7H, 6H, 5H, 4H, 3H, 2H, H, F, HB, B, 2B, 3B, 4B, 5B, 6B	-	Leads for pencils to be mainly used for general writing, technical drawing and drawing
Leads for coloured pencil		Hard	Leads for coloured pencils to be mainly used for graphing and technical drawing
		Medium hard	Leads for coloured pencils to be mainly used for general writing and drawing
		Soft	Leads for coloured pencils to be mainly used for drawing on pottery, metals and plastics