

New Zealand Standard

Swimming Pool Design Standard

Superseding NZS 4441:1985

**NZS
4441:2008**

COMMITTEE REPRESENTATION

This Standard was prepared under the supervision of the Swimming Pool Design Committee (P 4441) for the Standards Council established under the Standards Act 1988.

The committee consisted of representatives of the following nominating organisations:

Association of Consulting Engineers New Zealand
Building Research Association of New Zealand Ltd
Business New Zealand
Filtration and Pumping Commercial Ltd
Institution of Professional Engineers New Zealand
Local Government New Zealand
Ministry of Health
New Zealand Master Pool Builders' Guild
New Zealand Recreation Association
Sport and Recreation New Zealand
Swimming New Zealand
Water Safety New Zealand

ACKNOWLEDGEMENT

Standards New Zealand gratefully acknowledges the contribution of time and expertise from all those involved in developing this Standard.

COPYRIGHT

The copyright of this document is the property of the Standards Council. No part of it may be reproduced by photocopying or by any other means without the prior written approval of the Chief Executive of Standards New Zealand unless the circumstances are covered by Part III of the Copyright Act 1994.

Published by Standards New Zealand, the trading arm of the Standards Council, Private Bag 2439, Wellington 6140. Telephone (04) 498 5990, Fax (04) 498 5994, Website <http://www.standards.co.nz>.

| <i>AMENDMENTS</i> | | | |
|-------------------|----------------------|--------------------|---------------------------------|
| <i>No.</i> | <i>Date of issue</i> | <i>Description</i> | <i>Entered by, and date</i> |
| | | | |

NZS 4441:2008

New Zealand Standard

Swimming Pool Design Standard

ISBN 1-86975-087-X

This is a preview. [Click here to purchase the full publication.](#)

NOTES

CONTENTS

| | |
|--------------------------------|-----|
| Committee representation | IFC |
| Acknowledgement | IFC |
| Copyright | IFC |
| Referenced documents | 7 |
| Latest revisions..... | 8 |
| Review of Standards | 8 |
| Foreword | 9 |

Section

| | | |
|-----|--|----|
| 1 | GENERAL..... | 11 |
| 1.1 | Scope | 11 |
| 1.2 | Interpretation..... | 11 |
| 1.3 | Definitions | 11 |
| 1.4 | Abbreviations | 12 |
| 2 | LEGISLATION AND RELEVANT STANDARDS..... | 13 |
| 2.1 | Design | 13 |
| 2.2 | Relevant New Zealand Standards | 13 |
| 3 | POOL TYPES AND LIMITING DIMENSIONS | 14 |
| 3.1 | Types of swimming pools..... | 14 |
| 3.2 | Plan dimensions | 14 |
| 3.3 | Slope of pool bottoms | 14 |
| 3.4 | Diving pools | 14 |
| 4 | STRUCTURAL DESIGN AND CONSTRUCTION..... | 15 |
| 4.1 | Design | 15 |
| 4.2 | Watertightness testing of pool structures..... | 15 |
| 4.3 | Design of in-ground pools | 15 |
| 4.4 | Hydrostatic relief valves | 16 |
| 5 | POOL SURFACES AND SURROUNDS..... | 17 |
| 5.1 | General..... | 17 |
| 5.2 | Internal pool surfaces..... | 17 |
| 5.3 | Pool surrounds..... | 19 |



| | | |
|------|--|----|
| 6 | POOL COMPONENTS AND FITTINGS | 21 |
| 6.1 | General..... | 21 |
| 6.2 | Avoidance of entrapment | 21 |
| 6.3 | Steps and ladders | 21 |
| 6.4 | Handrails | 22 |
| 6.5 | Other fittings..... | 22 |
| 6.6 | Bulkheads | 22 |
| 6.7 | Moveable floors | 22 |
| 7 | SIGNAGE AND MARKINGS | 23 |
| 7.1 | Pool safety signs | 23 |
| 7.2 | Lane marks | 23 |
| 7.3 | Depth marks..... | 23 |
| 8 | MISCELLANEOUS SERVICES | 24 |
| 8.1 | Lighting..... | 24 |
| 8.2 | Air heating and ventilation | 24 |
| 8.3 | Water heating..... | 25 |
| 8.4 | Noise | 25 |
| 9 | POOL WATER INLETS AND OUTLETS | 26 |
| 9.1 | Filling and make-up water connection | 26 |
| 9.2 | Pool inlets..... | 26 |
| 9.3 | Pool water outlets..... | 26 |
| 10 | OVERFLOW CHANNELS AND THE TOPS OF POOL WALLS | 28 |
| 10.1 | General..... | 28 |
| 10.2 | Capacity | 28 |
| 10.3 | Construction..... | 28 |
| 11 | SKIMMERS..... | 30 |
| 11.1 | General..... | 30 |
| 11.2 | Capacity | 30 |
| 11.3 | Construction..... | 30 |
| 12 | WATER CIRCULATION AND TREATMENT | 31 |
| 12.1 | Circulation and treatment system..... | 31 |
| 12.2 | Flow capacity | 31 |
| 12.3 | Treatment processes..... | 32 |
| 12.4 | Materials..... | 32 |
| 12.5 | Installation..... | 32 |

| | | |
|------|---|----|
| 13 | WATER TREATMENT CIRCULATION RATE..... | 34 |
| 13.1 | Pool bathing load, circulation rate, and turnover period..... | 34 |
| 14 | WATER QUALITY, DISINFECTION, AND pH CONTROL..... | 37 |
| 14.1 | Water quality objective | 37 |
| 14.2 | Disinfection and pH | 37 |
| 14.3 | Disinfection..... | 37 |
| 14.4 | Control of pH | 40 |
| 14.5 | Alkalinity control | 40 |
| 14.6 | Testing equipment | 40 |
| 15 | RECIRCULATION PUMPS..... | 41 |
| 15.1 | Flow capacity | 41 |
| 15.2 | Pump details | 41 |
| 15.3 | Pump motors..... | 41 |
| 16 | HAIR AND LINT STRAINER..... | 42 |
| 17 | GRANULAR AND MULTI-MEDIA FILTERS..... | 43 |
| 17.1 | Types..... | 43 |
| 17.2 | Filter medium | 43 |
| 17.3 | Filter medium bed depth | 43 |
| 17.4 | Rate of filtration | 43 |
| 17.5 | Backwashing | 44 |
| 17.6 | Filter construction..... | 44 |
| 17.7 | Pressure tests | 44 |
| 17.8 | Ancillary equipment..... | 45 |
| 17.9 | Coagulation | 45 |
| 18 | PRE-COAT FILTRATION..... | 47 |
| 18.1 | Types..... | 47 |
| 18.2 | Filter medium or filter aid..... | 47 |
| 18.3 | Rates of filtration | 47 |
| 18.4 | Construction and design | 47 |
| 18.5 | Pre-coating..... | 47 |
| 18.6 | Body feed | 48 |
| 18.7 | Ancillary equipment..... | 48 |



| | | |
|------|--|----|
| 19 | PLANT ROOMS AND CHEMICAL STORAGE | 49 |
| 19.1 | General..... | 49 |
| 19.2 | Chemical storage..... | 49 |
| 19.3 | Chlorine rooms | 49 |
| 19.4 | Filter rooms | 50 |
| 20 | BALANCE TANKS | 51 |
| 20.1 | General..... | 51 |
| 20.2 | Balance tank dimensions | 51 |
| 20.3 | Inlet from pool overflow channels..... | 51 |
| 20.4 | Make-up water inlet..... | 51 |
| 20.5 | Flow-equalising connection | 52 |
| 20.6 | Overflow | 52 |
| 20.7 | Pump suction | 52 |
| 20.8 | Drain..... | 52 |

Appendix

| | | |
|---|--|----|
| A | Design considerations (Informative) | 53 |
| B | Pool dimensions and temperatures (Informative)..... | 55 |
| C | Protection against entrapment (Normative)..... | 60 |
| D | Pre-coat filter medium selection (Informative) | 67 |
| E | Balance tank operation (Informative) | 68 |

Table

| | | |
|----|---|----|
| 1 | Pool water surface areas used to determine instantaneous bathing load | 34 |
| 2 | Indicative turnover period for public pools..... | 36 |
| C1 | Probes for assessment of head and neck entrapment in completely bound openings..... | 63 |

Figure

| | | |
|----|---|----|
| C1 | Probes for the determination of head and neck entrapment in completely bound openings..... | 62 |
| C2 | Test template for assessment of head and neck entrapment in partially bound and v-shaped openings | 63 |
| C3 | Method of insertion of the 'B' portion of the test template | 64 |
| C4 | Method of insertion of the 'A' portion of the test template | 65 |
| C5 | Finger rods | 66 |
| C6 | Rotation of the 8 mm diameter finger rod | 66 |
| E1 | Operation of a balance tank | 68 |